Index of Authors

ABRAHAM, E. P. *see* FAWCETT, P. A. 651–660
ADNAMS, C. M. *see* BERMAN, M. C. 237–246
AGARWAL, H. C. & NAIR, A. M. G. Studies on the cholesterol ester hydrolase of *Trogoderma* Coleoptera 111–116
AIRAS, R. K. Kinetic studies on pantothenase from *Pseudomonas fluorescens*. Effects of pH on substrate and inhibitor binding 415–421
AIRAS, R. K., HIETANEN, E. A. & NURMIKKO, V. T. Purification and properties of pantothenase from *Pseudomonas fluorescens* 409–413
AKHTAR, M. *see* RASOOL, C. G. 675–686
ANDRONIKASHVILI, E. L., MOSULISHVILI, L. M., BELOKOBIL'SKIY, A. I., KHARABADZE, N. E., SHONIA, N. I., DESAI, L. S. & FOLEY, G. E. Human leukaemic cells. Determination of trace elements in nucleic acids and histones by neutron-activation analyses 529–533
APPLEBAUM, S. W. *see* SMIRNOFF, P. 745–751
ATKINS, G. L. *see* NIMMO, I. A. 489–492
AURICH, H. *see* SCHÖPP, W. 15–22

BAILEY, A. J. *see* BARNES, M. J. 263–266
BALASUBRAMANIAN, R. A new type of representation of dipeptide conformation 769–771
BARBER, D., PARR, S. R. & GREENWOOD, C. Some spectral and steady-state kinetic properties of *Pseudomonas* cytochrome oxidase 431–438
BARBER, D. *see also* PARR, S. R. 423–430
BARBER, M. J. *see* CAMMACK, R. 469–478
BARDSLEY, W. G. *see* CRABBE, M. J. C. 333–337
BARKER, G. R., HARDMAN, N. & TWOSE, T. M. Replication of the deoxyribonucleic acid of multiple-drug-resistance factor in *Escherichia coli* 221–227
BARNES, M. J., MORTON, L. F., BENNETT, R. C., BAILEY, A. J. & SIMS, T. J. Presence of type III collagen in guinea-pig dermal scar 263–266
BEINTEMB, J. J. *see* EMMENS, M. 317–323
BELOKOBIL'SKIY, A. I. *see* ANDRONIKASHVILI, E. L. 529–533
BENNETT, R. C. *see* BARNES, M. J. 263–266
BERMAN, M. C., ADNAMS, C. M., IVANETICH, K. M. & KENCH, J. E. Autoxidation of soluble trypsin-cleaved microsomal ferrocytochrome b_5 and formation of superoxide radicals 237–246
BILIĆ, N., CASEY, M. & BLANC, B. Iron-dependent binding of 8-anilinonaphthalene-1-sulphonate by both lactoferrin and transferrin 233–235
BIRK, Y. *see* SMIRNOFF, P. 745–751
BJUR, R. A. *see* DANN, J. G. 559–571
BLANC, B. *see* BILIĆ, N. 233–235
BLEANEY, R. C. *see* FAWCETT, P. A. 651–660
BODY, D. R. The occurrence of *cis*-octadec-15-enoic acid as a major biohydrogenation product from methyl linolenate in bovine rumen liquor 741–744
BOOTH, A. G. *see* KENNY, A. J. 169–182
BOWEN, J. *see* TRAVIS, J. 301–306
BRAY, R. C. *see* CAMMACK, R. 469–478
BREMNER, I. & YOUNG, B. W. Isolation of (copper, zinc)-thioneins from the livers of copper-injected rats 517–520
BRIDGES, B. J. *see* WALSH, D. A. 41–67
BRITTAIN, T. *see* GREENWOOD, C. 591–598
BROADHURST, J. *see* SWANN, D. A. 503–506
BROOK, D. F. & LARGE, P. J. A steady-state kinetic study of the reaction catalysed by the secondary-amine monooxygenase of *Pseudomonas aminovorans* 197–205
BROSNAN, M. E. *see* MURPHY, B. J. 33–39
BRUNORI, M. *see* GREENWOOD, C. 591–598
BURGEN, A. S. V. *see* DANN, J. G. 559–571
BURSTEIN, Y. & SCHECHTER, I. Amino acid-sequence variability at the *N*-terminal extra piece of mouse immunoglobulin light-chain precursors of the same and different subgroups 145–151
BUSH, R. S. & SAUER, F. D. Enzymes of 2-oxo acid degradation and biosynthesis in cell-free extracts of mixed rumen micro-organisms 325–331

CALOGERO, H. *see* QUASH, G. 599–608
CAMERON, J. S. *see* SIMMONDS, H. A. 485–487
CAMMACK, R., BARBER, M. J. & BRAY, R. C. Oxidation–reduction potentials of molybdenum, flavin and iron–sulphur centres in milk xanthine oxidase 469–478
CARPENTER, P. C. & MATTOX, V. R. Isolation, determination of structure and synthesis of the acid-labile conjugate of aldosterone 1–14
CASEY, M. *see* BILIĆ, N. 233–235
CHAN, S.-L. *see* GORDON, M. A. 69–76
CHANG, J. Y. & CREASER, E. H. A novel manual method for protein-sequence analysis 77–85
CHEETHAM, P. S. J. & DANCE, N. E. The separation and characterization of the methylumbelliferyl β-galactosidases of human liver 189–195
CHEVALLIER, F. *see* RABINOWITZ, J. L. 271–273
CHRISTNER, P., DIXON, M., CYWINSKI, A. & ROSENBLOOM, J. Radioimmunological identification of tropoelastin 525–528
CHRISTODOULIDES, L. *see* TIPPING, E. 211–216, 461–467
COLBY, J. & DALTON, H. Some properties of a soluble methane mono-oxygenase from *Methylococcus capsulatus* strain Bath 495–497
CONNELL, G. E. *see* PARR, D. M. 535–540
COOPER, R. H. *see* WALSH, D. A. 41–67
CORINA, D. L. & WILTON, D. C. An apparent lack of stereospecificity in the reaction catalysed by deoxyribose 5-phosphate aldolase due to methyl-group rotation and enolization before product release 573–576
COUGHLAN, M. P. *see* FHAOLÁIN, I. N. 283–285
CRABBE, M. J. C. & BARDSLEY, W. G. Deviation from Michaelis–Menten kinetics for fumarase 333–337
CREASER, E. H. *see* CHANG, J. Y. 77–85
CYWINSKI, A. *see* CHRISTNER, P. 525–528

DALTON, H. *see* COLBY, J. 495–497
DANCE, N. E. *see* CHEETHAM, P. S. J. 189–195
DANN, J. G., OSTLER, G., BJUR, R. A., KING, R. W., SCUDDER, P., TURNER, P. C., ROBERTS, G. C. K., BURGEN, A. S. V. & HARDING, N. G. L. Large-scale purification and characterization of dihydrofolate reductase from a methotrexate-resistant strain of *Lactobacillus casei* 559–571
DARBRE, A. *see* RANGARAJAN, M. 307–316

DAVIES, D. M., JONES, P. & MANTLE, D. The kinetics of formation of horseradish peroxidase Compound I by reaction with peroxobenzoic acids. pH and peroxo acid substituent effects 247–253
DAWKINS, S. *see* WORWOOD, M. 97–103
DE BENEDETTO, C. *see* GALLERANI, R. 295–300
DE GIORGI, C. *see* GALLERANI, R. 295–300
DELLA FERA, M. A. *see* WHITE, H. B., III 395–400
DELVIN, E. E., POTTIER, A. & GLORIEUX, F. H. Comparative activity of arylsulphatases A and B on two synthetic substrates 353–356
DENNISON, B. A. *see* WHITE, H. B. III, 395–400
DENTON, R. M. *see* WALSH, D. A. 41–67
DESAI, L. S. *see* ANDRONIKASHVILI, E. L. 529–533
DIXON, M. *see* CHRISTNER, P. 525–528
DOCTER, R. *see* VISSER, T. J. 479–482
DO NASCIMENTO, A. J. & DO NASCIMENTO, K. H. Kinetics of reaction of [nitrotyrosyl]cytochrome *c* with ligands 217–220
DO NASCIMENTO, K. H. *see* DO NASCIMENTO, A. J. 217–220
DØSKELAND, S. O. *see* UELAND, P. M. 117–126
DOWBEN, R. M. *see* WARD, P. E. 643–650
DUNKLEY, P. R., HOLMES, H. & RODNIGHT, R. Phosphorylation of synaptic-membrane proteins from ox cerebral cortex *in vitro*. Partition of substrates and protein kinase activities with Triton X-100 661–666
DYKES, C. W. *see* KAY, J. 499–502

EADY, R. R. *see* SMITH, B. E. 439–447
EKEL, T. M. *see* HEARING, V. J. 549–557
EMMENS, M., WELLING, G. W. & BEINTEMB, J. J. The amino acid sequence of pike-whale (lesser rorqual) pancreatic ribonuclease 317–323
ENDERBY, G. *see* TIPPING, E. 211–216, 461–467
ENGLAND, P. J. *see* RAY, K. P. 369–380
ERDÖS, E. G. *see* WARD, P. E. 643–650
EWINS, R. J. F. *see* HARDINGHAM, T. E. 127–143
EYRE, D. R. & MUIR, H. Types I and II collagens in intervertebral disc. Interchanging radial distributions in annulus fibrosus 267–270

FAWCETT, P. A., USHER, J. J., HUDDLESTON, J. A., BLEANEY, R. C., NISBET, J. J. & ABRAHAM, E. P. Synthesis of δ-(α-aminoadipyl)cysteinylvaline and its role in penicillin biosynthesis 651–660
FERDINAND, A. *see* QUASH, G. 599–608
FETTEROLF, D. *see* LONDON, J. W. 609–617
FHAOLÁIN, I. N. & COUGHLAN, M. P. Turkey liver xanthine dehydrogenase. Relation between nicotinamide–adenine dinucleotide oxidoreductase activity and the content of functional enzyme 283–285
FITT, P. S. & PETERKIN, P. I. Isolation and properties of a small manganese-ion-stimulated bacterial alkaline phosphatase 161–167
FOLEY, G. E. *see* ANDRONIKASHVILI, E. L. 529–533
FOSSAR, N. *see* QUASH, G. 599–608
FRIESEN, H. G. *see* SHIU, R. P. C. 619–626

GALLERANI, R., DE GIORGI, C., DE BENEDETTO, C. & SACCONE, C. Contemporaneous isolation of deoxyribonucleic acid-dependent ribonucleic acid polymerase and poly(A) polymerase from rat liver mitochondria 295–300
GARFINKEL, D. *see* LONDON, J. W. 609–617
GEDNEY, C. D. *see* WARD, P. E. 643–650
GEORGE, S. G. *see* KENNY, A. J. 169–182
GEYMAYER, W. *see* KOSTNER, G. M. 401–407
GIELENS, C. *see* LOOZE, Y. 773–775
GIGLI, I., PORTER, R. R. & SIM, R. B. The unactivated form of the first component of human complement, C1 541–548
GILES, I. G., POAT, P. C. & MUNDAY, K. A. The kinetics of rabbit muscle pyruvate kinase. Initial-velocity, substrate- and product-inhibition and isotopic-exchange studies of the reverse reaction 577–589
GLORIEUX, F. H. *see* DELVIN, E. E. 353–356
GOHEER, M. A., GOULD, B. J. & PARKE, D. V. Preparation of immobilized baker's-yeast glucose 6-phosphate dehydrogenase attached to modified Sepharose and Sephadex and a comparison of the properties of these preparations with those of the soluble enzyme 289–294
GOHEER, M. A. *see also* GOULD, B. J. 389–393
GORDON, M. A., CHAN, S.-L. & TREVOR, A. J. Active-site determinations on forms of mammalian brain and eel acetylcholinesterase 69–76
GOULD, B. J. & GOHEER, M. A. Kinetic mechanism from steady-state kinetics of the reaction catalysed by baker's-yeast glucose 6-phosphate dehydrogenase in solution and covalently attached to Sepharose 389–393
GOULD, B. J. *see also* GOHEER, M. A. 289–294
GREENWOOD, C., BRITTAIN, T., WILSON, M. & BRUNORI, M. Studies on partially reduced mammalian cytochrome oxidase reactions with ferrocytochrome *c* 591–598
GREENWOOD, C. *see also* BARBER, D. 431–438; PARR, S. R. 423–430
GRIMMER, B. J. *see* PEARCE, R. H. 753–763
GRONOW, M., THACKRAH, T. M. & LEWIS, F. A. Instability of rat liver chromatin and other nuclear non-histone proteins in alkaline solution 507–509
GUTFREUND, H. *see* HOLBROOK, J. J. 287–288

HAMBERG, U. *see* VAHTERA, E. 521–524
HANCOCK, F. E., HUTCHINSON, D. W. & KNELL, A. J. The ^{3}H-labelling of bilirubin 511–512
HARDING, N. G. L. *see* DANN, J. G. 559–571
HARDINGHAM, T. E., EWINS, R. J. F. & MUIR, J. Cartilage proteoglycans. Structure and heterogeneity of the protein core and the effects of specific protein modifications on the binding to hyaluronate 127–143
HARDMAN, N. *see* BARKER, G. R. 221–227
HARMEY, M. A. *see* LEAVER, C. J. 275–277
HASLEWOOD, E. S. & HASLEWOOD, G. A. D. The specificity of a 7α-hydroxy steroid dehydrogenase from *Escherichia coli* 207–210
HASLEWOOD, G. A. D. *see* HASLEWOOD, E. S. 207–210
HEARING, V. J. & EKEL, T. M. Mammalian tyrosinase. A comparison of tyrosine hydroxylation and melanin formation 549–557
HENNEMANN, G. *see* VISSER, T. J. 479–482
HICKIE, R. A. *see* SULAKHE, P. V. 705–712
HIETANEN, E. A. *see* AIRAS, R. K. 409–413
HOFMANN, T. *see* PARR, D. M. 535–540
HOH, J. F. Y., MCGRATH, P. A. & WHITE, R. I. Electrophoretic analysis of multiple forms of myosin in fast-twitch and slow-twitch muscles of the chick 87–95
HOLASEK, A. *see* KOSTNER, G. M. 401–407

HOLBROOK, J. J., GUTFREUND, H. & SÜDI, J. Kinetic analysis of experiments involving the single turnover of an enzyme 287–288
HOLLAWAY, M. R. *see* OSBORNE, H. H. 255–259
HOLMES, H. *see* DUNKLEY, P. R. 661–666
HUDDLESTON, J. A. *see* FAWCETT, P. A. 651–660
HUTCHINSON, D. W. *see* HANCOCK, F. E. 511–512

INGOLIC, E. *see* KOSTNER, G. M. 401–407
INGRAM, J. *see* KENNY, A. J. 169–182
IVANETICH, K. M. *see* BERMAN, M. C. 237–246

JACOBS, A. *see* WORWOOD, M. 97–103
JATON, J.-C. The V-region sequence of the H chain from a third rabbit anti-pneumococcal antibody 449–459
JOHNSON, D. *see* TRAVIS, J. 301–306
JOLLY, R. D. *see* WINCHESTER, B. G. 183–188
JONES, P. *see* DAVIES, D. M. 247–253

KAY, J. & DYKES, C. W. Interaction of pepstatin with pig pepsinogen 499–502
KELLY, I. D. *see* MILNER-WHITE, E. J. 23–31
KENCH, J. E. *see* BERMAN, M. C. 237–246
KENNY, A. J., BOOTH, A. G., GEORGE, S. G., INGRAM, J., KERSHAW, D., WOOD, E. J. & YOUNG, A. R. Dipeptidyl peptidase IV, a kidney brush-border serine peptidase 169–182
KERSHAW, D. *see* KENNY, A. J. 169–182
KETTERER, B. *see* TIPPING, E. 211–216, 461–467
KHALEF, S. *see* SMIRNOFF, P. 745–751
KHARABADZE, N. E. *see* ANDRONIKASHVILI, E. L. 529–533
KIDO, R. *see* NOGUCHI, T. 635–641
KING, R. W. *see* DANN, J. G. 559–571
KNELL, A. J. *see* HANCOCK, F. E. 511–512
KOSTNER, G. M., LAGGNER, P., PREXL, H. J., HOLASEK, A., INGOLIC, E. & GEYMAYER, W. Investigation of the abnormal low-density lipoproteins occurring in patients with obstructive jaundice 401–407

LAGGNER, P. *see* KOSTNER, G. M. 401–407
LAND, E. J. & SWALLOW, A. J. Changes in the conformation of reduced cytochrome *c* in neutral aqueous solution 781–784
LARGE, P. J. *see* BROOK, D. F. 197–205
LEAVER, C. J. & HARMEY, M. A. Higher-plant mitochondrial ribosomes contain a 5S ribosomal ribonucleic acid component 275–277
LÉONIS, J. *see* LOOZE, Y. 773–775
LEUNG, N. L.-K. *see* SULAKHE, P. V. 705–712; SULAKHE, S. J. 713–719
LEWIS, F. A. *see* GRONOW, M. 507–509
LONDON, J. W., SHAW, L. M., FETTEROLF, D. & GARFINKEL, D. Determination of the mechanism and kinetic constants for hog kidney γ-glutamyltransferase 609–617
LOOZE, Y., POLASTRO, E., GIELENS, C. & LÉONIS, J. Isocytochrome *c* species from baker's yeast. Analysis of their circular-dichroism spectra 773–775
LOVELL, S. J. & WINZOR, D. J. Rabbit muscle myogen. Interactions with phosphate as the source of non-enantiography in moving-boundary electrophoresis 699–704
LUTTON, C. *see* RABINOWITZ, J. L. 271–273

MANTLE, D. *see* DAVIES, D. M. 247–253
MARGISON, G. P., MARGISON, J. M. & MONTESANO, R. Methylated purines in the deoxyribonucleic acid of various Syrian-golden-hamster tissues after administration of a hepatocarcinogenic dose of dimethylnitrosamine 627–634
MARGISON, J. M. *see* MARGISON, G. P. 627–634
MASON, R. M. *see* ROUGHLEY, P. J. 357–367
MATTOX, V. R. *see* CARPENTER, P. C. 1–14
MCGRATH, P. A. *see* HOH, J. F. Y. 87–95
MCGUIRE, J. C. *see* WHITE, H. B., III 395–400
MELLING, J. *see* PARR, S. R. 423–430
MESLAR, H. W. *see* WHITE, H. B., III 395–400
MILNER-WHITE, E. J. & KELLY, I. D. Creatine kinase. Modification of the working enzyme 23–31
MINATOGAWA, Y. *see* NOGUCHI, T. 635–641
MONTESANO, R. *see* MARGISON, G. P. 627–634
MORGAN, M., PERRY, S. V. & OTTAWAY, J. Myosin light-chain phosphatase 687–697
MORTENSON, L. E. *see* SMITH, B. E. 439–447
MORTON, L. F. *see* BARNES, M. J. 263–266
MOSULISHVILI, L. M. *see* ANDRONIKASHVILI, E. L. 529–533
MUIR, H. *see* EYRE, D. R. 267–270; HARDINGHAM, T. E. 127–143
MUNDAY, K. A. *see* GILES, I. G. 577–589
MURPHY, B. J. & BROSNAN, M. E. Subcellular localization of ornithine decarboxylase in liver of control and growth-hormone-treated rats 33–39

NAIR, A. M. G. *see* AGARWAL, H. C. 111–116
NICOLAIDIS, S. *see* RASOOL, C. G. 675–687
NIMMO, I. A. Two methods for fitting a rectangular hyperbola to data from several animals 493–494
NIMMO, I. A. & ATKINS, G. L. Methods for fitting equations with two or more non-linear parameters 489–492
NISBET, J. J. *see* FAWCETT, P. A. 651–660
NOGUCHI, T., MINATOGAWA, Y., OKUNO, E. & KIDO, R. Organ distribution of rat histidine–pyruvate aminotransferase isoenzymes 635–641
NURMIKKO, V. T. *see* AIRAS, R. K. 409–413

OFFORD, R. E. *see* PRIDDLE, J. D. 777–780
OKUNO, E. *see* NOGUCHI, T. 635–641
OSBORNE, H. H. & HOLLAWAY, M. R. An investigation of the nicotinamide–adenine dinucleotide-induced 'tightening' of the structure of glyceraldehyde 3-phosphate dehydrogenase 255–259
OSTLER, G. *see* DANN, J. G. 559–571
OTTAWAY, J. *see* MORGAN, M. 687–697
OZAND, P. T. *see* TILDON, J. T. 513–516

PANNELL, R. *see* TRAVIS, J. 301–306
PARKE, D. V. *see* GOHEER, M. A. 289–294
PARR, D. M., HOFMANN, T. & CONNELL, G. E. Characterization of upFc, a fragment of human immunoglobulin G1 produced by pepsin in urea 535–540
PARR, S. R., BARBER, D., GREENWOOD, C., PHILLIPS, B. W. & MELLING, J. A purification procedure for the soluble cytochrome oxidase and some other respiratory proteins from *Pseudomonas aeruginosa* 423–430
PARR, S. R. *see also* BARBER, D. 431–438

PEARCE, R. H. & GRIMMER, B. J. The chemical constitution of the proteoglycan of human intervertebral disc 753–763
PERRY, S. V. *see* MORGAN, M. 687–697
PETERKIN, P. I. *see* FITT, P. S. 161–167
PHILLIPS, B. W. *see* PARR, S. R. 423–430
PITT-RIVERS, R. The subunit structure of thyroglobulin 767–768
POAT, P. C. *see* GILES, I. G. 577–589
POLASTRO, E. *see* LOOZE, Y. 773–775
PORTER, R. R. *see* GIGL,, I. 541–548
POTTIER, A. *see* DELVIN, E. E. 353–356
POUSETTE, A. Demonstration of an androgen receptor in rat pancreas 229–232
POWELL, S. *see* SWANN, D. A. 503–506
PREXL, H. J. *see* KOSTNER, G. M. 401–407
PRIDDLE, J. D., ROSE, K. & OFFORD, R. E. The separation and sequencing of permethylated peptides by mass spectrometry directly coupled to gas–liquid chromatography 777–780

QUASH, G., CALOGERO, H., FOSSAR, N., FERDINAND, A. & TAYLOR, D. Modification of diamine oxidase activity *in vitro* by metabolites of asparagine and differences in asparagine decarboxylation in normal and virus-transformed baby hamster kidney cells 599–608

RABINOWITZ, J. L., LUTTON, C. & CHEVALLIER, F. Elongation of [ω-^{14}C]oleic acid and [ω-^{14}C]nervonic acid 271–273
RANDLE, P. J. *see* WALSH, D. A. 41–67
RANGARAJAN, M. & DARBRE, A. Studies on sequencing of peptides from the carboxyl terminus by using the thiocyanate method 307–316
RASOOL, C. G., NICOLAIDIS, S. & AKHTAR, M. The asymmetric distribution of enzymic activity between the six subunits of bovine liver glutamate dehydrogenase. Use of D- and L-glutamyl α-chloromethyl ketones (4-amino-6-chloro-5-oxohexanoic acid) 675–686
RAY, K. P. & ENGLAND, P. J. The identification and properties of phosphatases in skeletal muscle with activity towards the inhibitory subunit of troponin, and their relationship to other phosphoprotein phosphatases 369–380
REYNOLDS, R. C. *see* WARD, P. E. 643–650
ROBERTS, G. C. K. *see* DANN, J. G. 559–571
RODNIGHT, R. *see* DUNKLEY, P. R. 661–666
ROSE, K. *see* PRIDDLE, J. D. 777–780
ROSENBLOOM, J. *see* CHRISTNER, P. 525–528
ROUGHLEY, P. J. & MASON, R. M. The electrophoretic heterogeneity of bovine nasal cartilage proteoglycans 357–367

SACCONE, C. *see* GALLERANI, R. 295–300
ST. LOUIS, P. J. *see* SULAKHE, P. V. 705–712
SAKLATVALA, J., WOOD, G. C. & WHITE, D. D. Isolation and characterization of human plasma α_1-proteinase inhibitor and a conformational study of its interaction with proteinases 339–351
SAMMELWITZ, P. H. *see* WHITE, H. B., III 395–400
SAUER, F. D. *see* BUSH, R. S. 325–331
SCHECHTER, I. *see* BURSTEIN, Y. 145–151
SCHÖPP, W. & AURICH, H. Kinetics and reaction mechanism of yeast alcohol dehydrogenase with long-chain primary alcohols 15–22
SCUDDER, P. *see* DANN, J. G. 559–571
SHAW, L. M. *see* LONDON, J. W. 609–617
SHIU, R. P. C. & FRIESEN, H. G. Interaction of cell-membrane prolactin receptor with its antibody 619–626
SHONIA, N. I. *see* ANDRONIKASHVILI, E. L. 529–533
SIM, R. B. *see* GIGLI, I. 541–548
SIMMONDS, H. A., VAN ACKER, K. J., CAMERON, J. S. & SNEDDEN, W. The identification of 2,8-dihydroxyadenine, a new component of urinary stones 485–487
SIMMONDS, R. J. & YON, R. J. Protein chromatography on adsorbents with hydrophobic and ionic groups. Chromatography of dodecyl sulphate-solubilized proteins of the human erythrocyte membrane on *N*-(3-carboxypropionyl)aminodecyl-Sepharose 153–159
SIMS, T. J. *see* BARNES, M. J. 263–266
SMIRNOFF, P., KHALEF, S., BIRK, Y. & APPLEBAUM, S. W. A trypsin and chymotrypsin inhibitor from chick peas (*Cicer arietinum*) 745–751
SMITH, B. E., THORNELEY, R. N. F., EADY, R. R. & MORTENSON, L. E. Nitrogenases from *Klebsiella pneumoniae* and *Clostridium pasteurianum*. Kinetic investigations of cross-reactions as a probe of the enzyme mechanism 439–447
SNEDDEN, W. *see* SIMMONDS, H. A. 485–487
SORDILLO, E. *see* SWANN, D. A. 503–506
SOTMAN, S. *see* SWANN, D. A. 503–506
STEVENSON, J. H., JR. *see* TILDON, J. T. 513–516
STONE, K. J. The role of tetrahydrofolate dehydrogenase in the hepatic supply of tetrahydrobiopterin in rats 105–109
SÜDI, J. *see* HOLBROOK, J. J. 287–288
SULAKHE, P. V., SULAKHE, S. J., LEUNG, N. L.-K., ST. LOUIS, P. J. & HICKIE, R. A. Guanylate cyclase. Subcellular distribution in cardiac muscle, skeletal muscle, cerebral cortex and liver 705–712
SULAKHE, P. V. *see also* SULAKHE, S. J. 713–719
SULAKHE, S. J., LEUNG, N. L.-K. & SULAKHE, P. V. Properties of particulate, membrane-associated and soluble guanylate cyclase from cardiac muscle, skeletal muscle, cerebral cortex and liver 713–719
SULAKHE, S. J. *see also* SULAKHE, P. V. 705–712
SWALLOW, A. J. *see* LAND, E. J. 781–784
SWANN, D. A., POWELL, S., BROADHURST, J., SORDILLO, E. & SOTMAN, S. The formation of a stable complex between dissociated proteoglycan and hyaluronic acid in the absence of a link protein 503–506

TAYLOR, D. *see* QUASH, G. 599–608
TEWKSBURY, D. *see* TRAVIS, J. 301–306
THACKRAH, T. M. *see* GRONOW, M. 507–609
THORNELEY, R. N. F. *see* SMITH, B. E. 439–447
TILDON, J. T., STEVENSON, J. H., JR. & OZAND, P. T. Mitochondrial glycerol kinase activity in rat brain 513–516
TIPPING, E., KETTERER, B., CHRISTODOULIDES, L. & ENDERBY, G. Spectroscopic studies of the binding of bilirubin by ligandin and aminoazo-dye-binding protein A 211–216
TIPPING, E., KETTERER, B., CHRISTODOULIDES, L. & ENDERBY, G. The interactions of haem with ligandin and aminoazo-dye-binding protein A 461–467

TRAVIS, J., BOWEN, J., TEWKSBURY, D., JOHNSON, D. & PANNELL, R. Isolation of albumin from whole human plasma and fractionation of albumin-depleted plasma 301–306
TREVOR, A. J. *see* GORDON, M. A. 69–76
TURNER, P. C. *see* DANN, J. G. 559–571
TWOSE, T. M. *see* BARKER, G. R. 221–227

UELAND, P. M. & DØSKELAND, S. O. Adenosine 3′:5′-cyclic monophosphate-dependence of protein kinase isoenzymes from mouse liver 117–126
UMEZURIKE, G. M. The β-glucosidase in the gut contents of the snail *Achatina achatina*. Energy-dependent modification of structure and activity 381–387
USHER, J. J. *see* FAWCETT, P. A. 651–660

VAHTERA, E. & HAMBERG, U. Absence of binding of pancreatic and urinary kallikreins to α_2-macroglobulin 521–524
VAN ACKER, K. J. *see* SIMMONDS, H. A. 485–487
VAN DER DOES-TOBÉ, I. *see* VISSER, T. J. 479–482
VAN-DE-WATER, N. S. *see* WINCHESTER, B. G. 183–188
VAN HEYNINGEN, S. Activation by cholera toxin of adenylate cyclase solubilized from rat liver 785–787
VESSEY, D. A. *see* ZAKIM, D. 667–673
VISSER, T. J., VAN DER DOES-TOBÉ, I., DOCTER, R. & HENNEMANN, G. Subcellular localization of a rat liver enzyme converting thyroxine into tri-iodothyronine and possible involvement of essential thiol groups 479–482

WAGSTAFF, M. *see* WORWOOD, M. 97–103
WAKELIN, L. P. G. & WARING, M. J. The binding of echinomycin to deoxyribonucleic acid 721–740
WALSH, D. A., COOPER, R. H., DENTON, R. M., BRIDGES, B. J. & RANDLE, P. J. The elementary reactions of the pig heart pyruvate dehydrogenase complex. A study of the inhibition by phosphorylation 41–67
WARD, P. E., ERDÖS, E. G., GEDNEY, C. D., DOWBEN, R. M. & REYNOLDS, R. C. Isolation of membrane-bound renal enzymes that metabolize kinins and angiotensins 643–650
WARING, M. J. *see* WAKELIN, L. P. G. 721–740
WELLING, G. W. *see* EMMENS, M. 317–323
WHITE, D. D. *see* SAKLATVALA, J. 339–351
WHITE, H. B., III, DENNISON, B. A., DELLA FERA, M. A., WHITNEY, C. J., MCGUIRE, J. C., MESLAR, H. W. & SAMMELWITZ, P. H. Biotin-binding protein from chicken egg yolk. Assay and relationship to egg-white avidin 395–400
WHITE, R. I. *see* HOH, J. F. Y. 87–95
WHITNEY, C. J. *see* WHITE, H. B., III 395–400
WILSON, M. *see* GREENWOOD, C. 591–598
WILTON, D. C. *see* CORINA, D. L. 573–576
WINCHESTER, B. G., VAN-DE-WATER, N. S. & JOLLY, R. D. The nature of the residual α-mannosidase in plasma in bovine mannosidosis 183–188
WINZOR, D. J. *see* LOVELL, S. J. 699–704
WOOD, E. J. *see* KENNY, A. J. 169–182
WOOD, G. C. *see* SAKLATVALA, J. 339–351
WORWOOD, M., DAWKINS, S., WAGSTAFF, M. & JACOBS, A. The purification and properties of ferritin from human serum 97–103
WYNN-WILLIAMS, A. T. An explanation of apparent sudden change in the activation energy of membrane enzymes 279–281

YON, R. J. *see* SIMMONDS, R. J. 153–159
YOUNG, A. R. *see* KENNY, A. J. 169–182
YOUNG, B. W. *see* BREMNER, I. 517–520

ZAKIM, D. & VESSEY, D. A. The properties of uridine diphosphate glucuronyltransferase(s) which catalyse the synthesis of steroid glucuronides in microsomal fractions from guinea-pig liver 667–673

Index of Subjects

Acetylcholinesterase, brain, ox, studies on the active site of forms of from, and from electric-eel electric organ (Gordon, M. A., Chan, S.-L. & Trevor, A. J.) 69–76

Achatina achatina, *see* Snail

Acid β-galactosidase, *see* β-Galactosidase, acid

Adenine phosphoribosyltransferase, identification of 2,8-dihydroxyadenine as a new component of urinary stones in the urine of a human subject homozygous for a deficiency of (Simmonds, H. A., Van Acker, K. J., Cameron, J. S. & Snedden, W.) 485–487

Adenosine 3′:5′-cyclic monophosphate, dependence on, of mouse liver protein kinase isoenzymes (Ueland, P. M. & Døskeland, S. O.) 117–126

Adenosine 3′:5′-cyclic monophosphate, stimulation by, of the phosphorylation of endogenous proteins by ox cerebral-cortex synaptic-membrane protein kinases (Dunkley, P. R., Holmes, H. & Rodnight, R.) 661–666

Adenosine triphosphatase, myosin, skeletal-muscle, fast-twitch and slow-twitch, chicken, electrophoretic analysis of multiple forms of (Hoh, J. F. Y., McGrath, P. A. & White, R. I.) 87–95

Adenosine triphosphate, effect of, on the structure and activity of β-glucosidase from the gut contents of the snail (*Achatina achatina*) (Umezurike, G. M.) 381–387

Adenosine triphosphate, role of, in the mechanism of the reactions catalysed by *Klebsiella pneumoniae* and *Clostridium pasteurianum* nitrogenases (Smith. B. E., Thorneley, R. N. F., Eady, R. R. & Mortenson, L. E.) 439–447

Adenylate cyclase, liver, rat, solubilized, activation by cholera toxin of (van Heyningen, S.) 785–787

Albumin, serum, human, isolation of, from human plasma and fractionation of the serum proteins of the albumin-depleted plasma (Travis, J., Bowen, J., Tewksbury, D., Johnson, D. & Pannell, R.) 301–306

Alcohol dehydrogenase, baker's-yeast, kinetics and reaction mechanism of, with long-chain primary alcohols (Schöpp, W. & Aurich, H.) 15–22

Alcohols, primary, long-chain, kinetics and reaction mechanism of baker's-yeast alcohol dehydrogenase with (Schöpp, W. & Aurich, H.) 15–22

Aldosterone 18β-D-glucosiduronic acid, chemical synthesis and identification of, as the acid-labile conjugate of aldosterone in human urine (Carpenter, P. C. & Mattox, V. R.) 1–14

Aldosterone, isolation from human urine, determination of the structure and the chemical synthesis of the acid-labile conjugate of (Carpenter, P. C. & Mattox, V. R.) 1–14

Alkaline phosphatase, *see* Phosphatase, alkaline

Amine (secondary) mono-oxygenase, *Pseudomonas aminovorans*, steady-state kinetic study of the reaction catalysed by (Brook, D. F. & Large, P. J.) 197–205

Amino acid sequence of pike-whale pancreatic ribonuclease (Emmens, M., Welling, G. W. & Beintemb, J. J.) 317–323

Amino acid sequence of the variable region of the heavy chain of a third rabbit anti-pneumococcal antibody (Jaton, J.-C.) 449–459

Amino acid sequence, variability of, at the *N*-terminal extra piece of immunoglobulin light-chain precursors of the same and different subgroups from mouse myelomas (Burstein, Y. & Schechter, I.) 145–151

Amino acid sequences, novel manual method for the analysis of, of proteins (Chang, J. Y. & Creaser, E. H.) 77–85

Amino acid sequences, *C*-terminal, studies on the determination of, of peptides by use of the thiocyanate method (Rangarajan, M. & Darbre, A.) 307–316

Amino acid sequences, separation and determination of, of permethylated peptides by mass spectrometry directly coupled to gas–liquid chromatography (Priddle, J. D., Rose, K. & Offord, R. E.) 777–780

δ-(α-Aminoadipyl)cysteinylvaline, synthesis of, and its role in the biosynthesis of penicillin N by *Cephalosporium acremonium* (Fawcett, P. A., Usher, J. J., Huddleston, J. A., Bleaney, R. C., Nisbet, J. J. & Abraham, E. P.) 651–660

Aminoazo-dye-binding protein A, liver, rat, interactions of haem with, and ligandin (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 461–467

Aminoazo-dye-binding protein A, liver, rat, spectroscopic studies of the binding of bilirubin by, and ligandin (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 211–216

D- and L-4-Amino-6-chloro-5-oxohexanoate (glutamyl α-chloromethyl ketone), use of, to demonstrate the asymmetric distribution of enzymic activity among the six subunits of ox liver glutamate dehydrogenase (Rasool, C. G., Nicolaidis, S. & Akhtar, M.) 675–686

Amino-oxyacetate, inhibition by, of the activity of ornithine decarboxylase in normal and growth-hormone-treated rats (Murphy, B. J. & Brosnan, M. E.) 33–39

Androgen-receptor protein, demonstration of, in rat pancreas (Pousette, A.) 229–232

Angiotensins, isolation of rat kidney-cortex membrane-bound enzymes that metabolize kinins and (Ward, P. E., Erdös, E. G., Gedney, C. D., Dowben, R. M. & Reynolds, R. C.) 643–650

8-Anilinonaphthalene-1-sulphonate, iron-dependent binding of, by goat lactoferrin and ox transferrin (Bilić, N., Casey, M. & Blanc, B.) 233–235

Annulus fibrosus, intervertebral-disc, pig, interchanging radial distributions of types I and II collagens in (Eyre, D. R. & Muir, H.) 267–270

Antibody, anti-pneumococcal, rabbit, third, amino acid sequence of the variable region of the heavy chain of (Jaton, J.-C.) 449–459

Antibody, specific, interaction of mammalian cell-membrane prolactin receptor with (Shiu, R. P. C. & Friesen, H. G.) 619–626

Aorta, chick-embryo, radioimmunological identification of tropoelastin from (Christner, P., Dixon, M., Cywinski, A. & Rosenbloom, J.) 525–528

Arylsulphatases A and B, comparison of the activities of, from rat liver and cultured human skin fibroblasts towards 4-methylumbelliferyl sulphate and 4-nitrocatechol sulphate (Delvin, E. E., Pottier, A. & Glorieux, F. H.) 353–356

Asparagine, modification by metabolites of asparagine on the activity of pig kidney diamine oxidase *in vitro* and differences in the decarboxylation of, in normal and polyoma-virus-transformed baby-hamster kidney cells (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608

Avidin, egg-white, chicken, assay of chicken egg-yolk biotin-binding protein and its relationship to (White, H. B., III, Dennison, B. A., Della Fera, M. A., Whitney, C. J., McGuire, J. C., Meslar, H. W. & Sammelwitz, P. H.) 395–400

Azurin, purification of soluble cytochrome *c* oxidase, cytochrome c_{551} and, from *Pseudomonas aeruginosa* N.C.T.C. 6750 (Parr, S. R., Barber, D., Greenwood, C., Phillips, B. W. & Melling, J.) 423–430

Balaenoptera acutorostrata, *see* Pike whale

Bean, mung (*Phaseolus aureus*), presence of a 5S ribosomal ribonucleic acid component in mitochondrial ribosomes from (Leaver, C. J. & Harmey, M. A.) 275–277

Bile acids, specificity of an *Escherichia coli* 7α-hydroxy steroid dehydrogenase towards, and other steroids (Haslewood, E. S. & Haslewood, G. A. D.) 207–210

Bile salts, specificity of an *Escherichia coli* 7α-hydroxy steroid dehydrogenase towards, and other steroids (Haslewood, E. S. & Haslewood, G. A. D.) 207–210

Bilirubin IX-α, method for the labelling of, with ^{3}H (Hancock, F. E., Hutchinson, D. W. & Knell, A. J.) 511–512

Bilirubin, spectroscopic studies of the binding of, by rat liver ligandin and aminoazo-dye-binding protein A (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 211–216

Biotin-binding protein, egg-yolk, chicken, assay of, and its relationship to egg-white avidin (White, H. B., III, Dennison, B. A., Della Fera, M. A., Whitney, C. J., McGuire, J. C., Meslar, H. W. & Sammelwitz, P. H.) 395–400

Blood serum, human, purification and propertics of ferritin from (Worwood, M., Dawkins, S., Wagstaff, M. & Jacobs, A.) 97–103

Brain cortex, ox, use of Triton X-100 for the separation of protein kinases and their substrates from synaptic membranes of (Dunkley, P. R., Holmes, H. & Rodnight, R.) 661–666

Brain cortex, rat, properties of particulate, membrane-associated and soluble guanylate cyclase from, and other mammalian tissues (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719

Brain cortex, rat, subcellular distribution of guanylate cyclase in, and other animal tissues (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712

Brain, ox, studies on the active site of forms of acetylcholinesterase from, and from electric-eel electric organ (Gordon, M. A., Chan, S.-L. & Trevor, A. J.) 69–76

Brain, rat, activity of glycerol kinase in mitochondria from (Tildon, J. T., Stevenson, J. H., Jr. & Ozand, P. T.) 513–516

Brain, rat, distribution of isoenzymes of histidine–pyruvate aminotransferase in, and other tissues (Noguchi, T., Minatogawa, Y., Okuno, E. & Kido, R.) 635–641

Brush border, kidney-cortex, pig, purification and properties of dipeptidyl peptidase IV from (Kenny, A. J., Booth, A. G., George, S. G., Ingram, J., Kershaw, D., Wood, E. J. & Young, A. R.) 169–182

Brush border, kidney-cortex, rat, isolation from, of membrane-bound enzymes that metabolize kinins and angiotensins (Ward, P. E., Erdös, E. G., Gedney, C. D., Dowben, R. M. & Reynolds, R. C.) 643–650

Carcinogen-binding protein A, liver, rat, spectroscopic studies of the binding of bilirubin by, and ligandin (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 211–216

Carcinogen-binding protein, liver, rat, interactions of haem with, and ligandin (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 461–467

Cardiac muscle, *see* Muscle, heart

Cartilage, articular, ox, formation of a stable complex between dissociated proteoglycan from, and hyaluronic acid in the absence of a link protein (Swann, D. A., Powell, S., Broadhurst, J., Sordillo, E. & Sotman, S.) 503–506

Cartilage, laryngeal, pig, structure and heterogeneity of the protein core of proteoglycans from, and effects of specific modifications of the protein on the binding to hyaluronate (Hardingham, T. E., Ewins, R. J. F. & Muir, H.) 127–143

Cartilage, nasal-septum, ox, electrophoretic heterogeneity of proteoglycans of (Roughley, P. J. & Mason, R. M.) 357–367

Caudate nucleus, brain, ox, studies on the active site of forms of acetylcholinesterase from, and from electric-eel electric organ (Gordon, M. A., Chan, S.-L. & Trevor, A. J.) 69–76

Cells, kidney, baby-hamster, normal and polyoma-virus-transformed, modification by metabolites of asparagine of the activity of pig kidney diamine oxidase *in vitro* and differences in the decarboxylation of asparagine in (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608

Cephalosporium acremonium, synthesis of δ-(α-aminoadipyl)cysteinylvaline and its role in the biosynthesis of penicillin N by (Fawcett, P. A., Usher, J. J., Huddleston, J. A., Bleaney, R. C., Nisbet, J. J. & Abraham, E. P.) 651–660

Cerebral cortex, ox, use of Triton X-100 for the separation of protein kinases and their substrates from synaptic membranes of (Dunkley, P. R., Holmes, H. & Rodnight, R.) 661–666

Cerebral cortex, rat, properties of particulate, membrane-associated and soluble guanylate cyclase from, and other mammalian tissues (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719

Cerebral cortex, rat, subcellular distribution of guanylate cyclase in, and other animal tissues (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712

Chick embryo, radioimmunological identification of tropoelastin from the aorta of (Christner, P., Dixon, M., Cywinski, A. & Rosenbloom, J.) 525–528

Chick pea, *see* Pea, chick

Chicken, assay of the biotin-binding protein from the egg yolk of, and its relationship to egg-white avidin (White, H. B., III, Dennison, B. A., Della Fera, M. A., Whitney, C. J., McGuire, J. C., Meslar, H. W. & Sammelwitz, P. H.) 395–400

Chicken, electrophoretic analysis of multiple forms of myosin in fast-twitch and slow-twitch skeletal muscles of (Hoh, J. F. Y., McGrath, P. A. & White, R. I.) 87–95

Cholera toxin, activation by, of adenylate cyclase solubilized from rat liver (van Heyningen, S.) 785–787

Cholestasis, investigation of the abnormal low-density plasma lipoproteins of human patients with (Kostner, G. M., Laggner, P., Prexl, H. J., Holasek, A., Ingolic, E. & Geymayer, W.) 401–407

Cholesterol esterase, activity and properties of, of khapra-beetle larva (Agarwal, H. C. & Nair, A. M. G.) 111–116

Cholesteryl esters, hydrolysis of, by khapra-beetle-larva cholesterol esterase (Agarwal, H. C. & Nair, A. M. G.) 111–116

Chondroitin sulphate, separation and properties of keratan sulphate and, obtained from human intervertebral-disc proteoglycan (Pearce, R. H. & Grimmer, B. J.) 753–763

Chromatin, liver, rat, instability in alkaline solution of non-histone proteins from, and of other nuclear non-histone proteins (Gronow, M., Thackrah, T. M. & Lewis, F. A.) 507–509

Chymotrypsin, isolation and characterization of α_1-proteinase inhibitor from human plasma and a conformational study of its interaction with trypsin and (Saklatvala, J., Wood, G. C. & White, D. D.) 339–351

Chymotrypsin/trypsin inhibitor, isolation and properties of, from chick-pea meal (Smirnoff, P., Khalef, S., Birk, Y. & Applebaum, S. W.) 745–751

Cicer arietinum, *see* Pea, chick

Clostridium pasteurianum, kinetic investigations of cross-reactions as a probe of the enzyme mechanism of nitrogenases from *Klebsiella pneumoniae* and (Smith, B. E., Thorneley, R. N. F., Eady, R. R. & Mortenson, L. E.) 439–447

Collagen, association of, with ox nasal-septum cartilage proteoglycans (Roughley, P. J. & Mason, R. M.) 357–367

Collagen, type III, presence of, in developing guinea-pig dermal scar (Barnes, M. J., Morton, L. F., Bennett, R. C., Bailey, A. J. & Sims, T. J.) 263–266

Collagens, types I and II, interchanging radial distributions of, in the annulus fibrosus of pig intervertebral disc (Eyre, D. R. & Muir, J.) 267–270

Complement, human, isolation and characterization of the unactivated form of the first component (C1) of (Gigli, I., Porter, R. R. & Sim, R. B.) 541–548

Component C1, complement, human, isolation and characterization of the unactivated form of (Gigli, I., Porter, R. R. & Sim, R. B.) 541–548

Copper sulphate, isolation of (copper, zinc)-thioneins from the liver of rats injected with (Bremner, I. & Young, B. W.) 517–520

(Copper, zinc)-thioneins, isolation of, from the liver of rats injected with copper sulphate (Bremner, I. & Young, B. W.) 517–520

Creatine kinase, skeletal-muscle, rabbit, modification of, in relation to protection against inhibition of the enzyme activity by iodoacetamide (Milner-White, E. J. & Kelly, I. D.) 23–31

Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate

Cysteinylvaline, synthesis of δ-(α-aminoadipyl)cysteinylvaline and, and their role in the biosynthesis of penicillin N by *Cephalosporium acremonium* (Fawcett, P. A., Usher, J. J., Huddleston, J. A., Bleaney, R. C., Nisbet, J. J. & Abraham, E. P.) 651–660

Cytochrome b_5, ferro-, microsomal, liver, calf and pig, trypsin-cleaved, soluble, autoxidation of, with the formation of superoxide radical ions (Berman, M. C., Adnams, C. M., Ivanetich, K. M. & Kench, J. E.) 237–246

Cytochrome *c*, baker's-yeast, analysis of the circular-dichroism spectra of species of (Looze, Y., Polastro, E., Gielens, C. & Léonis, J.) 773–775

Cytochrome *c*, ferro-, heart, horse, changes in the conformation of, in neutral aqueous solution (Land, E. J. & Swallow, A. J.) 681–784

Cytochrome *c*, ferro-, studies on the reactions of partially reduced ox heart cytochrome *c* oxidase with (Greenwood, C., Brittain, T., Wilson, M. & Brunori, M.) 591–598

Cytochrome *c*, [nitrotyrosyl]-, kinetics of the reaction of, with imidazole and iminazole (do Nascimento, A. J. & do Nascimento, K. H.) 217–220

Cytochrome *c* oxidase, heart, ox, partially reduced, studies on the reactions of, with ferrocytochrome *c* (Greenwood, C., Brittain, T., Wilson, M. & Brunori, M.) 591–598

Cytochrome *c* oxidase, *Pseudomonas aeruginosa* N.C.T.C. 6750, spectral and steady-state kinetic properties of (Barber, D., Parr, S. R. & Greenwood, C.) 431–438

Cytochrome *c* oxidase, soluble, purification of, and some other respiratory proteins from *Pseudomonas aeruginosa* N.C.T.C. 6750 (Parr, S. R., Barber, D., Greenwood, C., Phillips, B. W. & Melling, J.) 423–430

Cytochrome c_{551}, purification of soluble cytochrome *c* oxidase, azurin and, from *Pseudomonas aeruginosa* N.C.T.C. 6750 (Parr, S. R., Barber, D., Greenwood, C., Phillips, B. W. & Melling, J.) 423–430

Cytosol, liver, rat, subcellular localization of ornithine decarboxylase in, of normal and growth-hormone-treated animals (Murphy, B. J. & Brosnan, M. E.) 33–39

Deoxyribonucleic acid, determination by neutron-activation analysis of trace elements in histones and, from normal and leukaemic human lymphocytes (Andronikashvili, E. L., Mosulishvili, L. M., Belokobil'skiy, A. I., Kharabadze, N. E., Shonia, N. I., Desai, L. S. & Foley, G. E.) 529–533

Deoxyribonucleic acid, replication of, of multiple-drug-resistance factor in *Escherichia coli* K12 (Barker, G. R., Hardman, N. & Twose, T. M.) 221–227

Deoxyribonucleic acids, double-stranded, binding of echinomycin to (Wakelin, L. P. G. & Waring, M. J.) 721–740

Deoxyribonucleic acids, liver, kidney and lung, golden-hamster, methylation of purine nucleotide residues of, after the administration of hepatocarcinogenic doses of dimethylnitrosamine (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634

Deoxyribose 5-phosphate aldolase, *Salmonella typhimurium*, apparent lack of stereospecificity due to rotation of methyl groups and enolization before release of products in the reaction catalysed by (Corina, D. L. & Wilton, D. C.) 573–576
Dermal scar, guinea-pig, developing, presence of type III collagen in (Barnes, M. J., Morton, L. F., Bennett, R. C., Bailey, A. J. & Sims, T. J.) 263–266
Diamine oxidase, kidney, pig, modification by metabolites of asparagine of the activity of, *in vitro* and differences in the decarboxylation of asparagine in normal and polyoma-virus-transformed baby-hamster kidney cells (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608
Dihydrofolate reductase, *see* Tetrahydrofolate dehydrogenase
2,8-Dihydroxyadenine, identification of, as a new component of urinary stones in the urine of a human subject homozygous for a deficiency of adenine phosphoribosyltransferase (Simmonds, H. A., Van Acker, K. J., Cameron, J. S. & Snedden, W.) 485–487
3,4-Dihydroxyphenylalanine (dopa), comparison of the activities of mouse skin tyrosinase in the hydroxylation of tyrosine and in the subsequent formation of melanin from (Hearing, V. J. & Ekel, T. M.) 549–557
4-*NN*-Dimethylaminoazobenzene 4′-isothiocyanate, use of, in a novel manual method for the analysis of the amino acid sequences of proteins (Chang, J. Y. & Creaser, E. H.) 77–85
Dimethylnitrosamine, methylation of purine nucleotide residues of golden-hamster liver, kidney and lung deoxyribonucleic acids after the administration of hepatocarcinogenic doses of (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634
Dipeptide units, novel type of representation of the conformation of, of protein molecules (Balasubramanian, R.) 769–771
Dipeptidyl peptidase IV, purification and properties of, from pig kidney-cortex brush border (Kenny, A. J., Booth, A. G., George, S. G., Ingram, J., Kershaw, D., Wood, E. J. & Young, A. R.) 169–182
Dopa (3,4-dihydroxyphenylalanine), comparison of the activities of mouse skin tyrosinase in the hydroxylation of tyrosine and in the subsequent formation of melanin from (Hearing, V. J. & Ekel, T. M.) 549–557
Drug-resistance factor, multiple-, *Escherichia coli* K12, replication of the deoxyribonucleic acid of (Barker, G. R., Hardman, N. & Twose, T. M.) 221–227

Echinomycin, binding of, to double-stranded deoxyribonucleic acids (Wakelin, L. P. G. & Waring, M. J.) 721–740
Egg, chicken, assay of the biotin-binding protein from the yolk of, and its relationship to egg-white avidin (White, H. B., III, Dennison, B. A., Della Fera, M. A., Whitney, C. J., McGuire, J. C., Meslar, H. W. & Sammelwitz, P. H.) 395–400
Electric eel (*Electrophorus electricus*), studies on the active site of forms of acetylcholinesterase from the electric organ of, and from ox brain (Gordon, M. A., Chan, S.-L. & Trevor, A. J.) 69–76
Electric organ, electric-eel, studies on the active site of forms of acetylcholinesterase from, and from ox brain (Gordon, M. A., Chan, S.-L. & Trevor, A. J.) 69–76
Electron transport, lack of effect of inhibitors of, on the activity of a soluble methane mono-oxygenase from *Methylococcus capsulatus* strain Bath (Colby, J. & Dalton, H.) 495–497
Electrophorus electricus, *see* Electric eel
Energy, dependence on, of the structure and activity of β-glucosidase from the gut contents of the snail (*Achatina achatina*) (Umezurike, G. M.) 381–387
Enolization, apparent lack of stereospecificity due to rotation of methyl groups and, before release of products in the reaction catalysed by *Salmonella typhimurium* deoxyribose 5-phosphate aldolase (Corina, D. L. & Wilton, D. C.) 573–576
Enzymes, kinetic analysis of experiments involving the single turnover of (Holbrook, J. J., Gutfreund, H. & Südi, J.) 287–288
Enzymes, membrane, lipid phase transitions as an explanation of apparent sudden changes in the activation energy of (Wynn-Williams, A. T.) 279–281
Enzymes, methods for fitting equations with two or more non-linear parameters of reactions catalysed by (Nimmo, I. A. & Atkins, G. L.) 489–492
Enzymes, two methods for fitting a rectangular hyperbola to kinetic data for reactions catalysed by, from different organisms (Nimmo, I. A.) 493–494
Erythrocytes, human, chromatography of sodium dodecyl sulphate-solubilized membrane proteins from, on *N*-(3-carboxypropionyl)aminodecyl-Sepharose (Simmonds, R. J. & Yon, R. J.) 153–159
Escherichia coli K12, replication of the deoxyribonucleic acid of multiple-drug-resistance factor in (Barker, G. R., Hardman, N. & Twose, T. M.) 221–227
Escherichia coli, specificity of a 7α-hydroxy steroid dehydrogenase from (Haslewood, E. S. & Haslewood, G. A. D.) 207–210

Ferritin, purification and properties of, from human serum (Worwood, M., Dawkins, S., Wagstaff, M. & Jacobs, A.) 97–103
Ferrocytochrome b_5, microsomal, liver, calf and pig, trypsin-cleaved, soluble, autoxidation of, with the formation of superoxide radical ions (Berman, M. C., Adnams, C. M., Ivanetich, K. M. & Kench, J. E.) 237–246
Ferrocytochrome *c*, heart, horse, changes in the conformation of, in neutral aqueous solution (Land, E. J. & Swallow, A. J.) 781–784
Ferrocytochrome *c*, studies on the reactions of partially reduced ox heart cytochrome *c* oxidase with (Greenwood, C., Brittain, T., Wilson, M. & Brunori, M.) 591–598
Fibroblasts, skin, human, cultured, comparison of the activities of arylsulphatases A and B from rat liver and, towards 4-methylumbelliferyl sulphate and 4-nitrocatechol sulphate (Delvin, E. E., Pottier, A. & Glorieux, F. H.) 353–356
Flavin, redox potentials of molybdenum, iron–sulphur centres and, in cow milk xanthine oxidase (Cammack, R., Barber, M. J. & Bray, R. C.) 469–478
Fragment upFc, immunoglobulin G1, human, characterization of, produced by peptic digestion in the presence of urea (Parr, D. M., Hofmann, T. & Connell, G. E.) 535–540

Fumarase, heart, pig, deviation from Michaelis–Menten kinetics for (Crabbe, M. J. C. & Bardsley, W. G.) 333–337

β-Galactosidases, acid, separation and characterization of, from human liver (Cheetham, P. S. J. & Dance, N. E.) 189–195

Glucose 6-phosphate dehydrogenase, baker's-yeast, preparation of, immobilized by attachment to modified Sepharose and Sephadex and comparison of the properties of these preparations with those of the soluble enzyme (Goheer, M. A., Gould, B. J. & Parke, D. V.) 289–294

Glucose 6-phosphate dehydrogenase, baker's-yeast, steady-state kinetics of the reaction catalysed by, in solution and covalently attached to Sepharose (Gould, B. J. & Goheer, M. A.) 389–393

β-Glucosidase, gut, snail (*Achatina achatina*), energy-dependent modification of the structure and activity of (Umezurike, G. M.) 381–387

Glucuronides, properties of guinea-pig liver microsomal uridine diphosphate glucuronyltransferase(s) catalysing the biosynthesis of, of steroids (Zakim, D. & Vessey, D. A.) 667–673

Glutamate dehydrogenase, liver, ox, use of D- and L-4-amino-6-chloro-5-oxohexanoate (glutamyl α-chloromethyl ketone) to demonstrate the asymmetric distribution of enzymic activity among the six subunits of (Rasool, C. G., Nicolaidis, S. & Akhtar, M.) 675–686

Glutamyl α-chloromethyl ketone, *see* 4-Amino-6-chloro-5-oxohexanoate

γ-Glutamyltransferase, kidney, pig, determination of the mechanism and kinetic constants for the reaction catalysed by (London, J. W., Shaw, L. M., Fetterolf, D. & Garfinkel, D.) 609–617

Glyceraldehyde 3-phosphate dehydrogenases, baker's-yeast and skeletal-muscle, rabbit, investigation of the nicotinamide–adenine dinucleotide-induced 'tightening' of the structure of (Osborne, H. H. & Hollaway, M. R.) 255–259

Glycerol kinase, mitochondrial, brain, rat, activity of (Tildon, J. T., Stevenson, J. H., Jr. & Ozand, P. T.) 513–516

Glycolysis, interactions of phosphate with enzymes involved in, of rabbit skeletal-muscle myogen as a source of non-enantiography in moving-boundary electrophoresis (Lovell, S. J. & Winzor, D. J.) 699–704

Glycosaminoglycans, fractionation of, obtained from human intervertebral-disc proteoglycan (Pearce, R. H. & Grimmer, B. J.) 753–763

Growth hormone, subcellular localization of ornithine decarboxylase in liver of normal rats and of rats treated with (Murphy, B. J. & Brosnan, M. E.) 33–39

Guanylate cyclase, particulate, membrane-associated and soluble, properties of, from heart muscle, skeletal muscle, cerebral cortex and liver of various mammalian species (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719

Guanylate cyclase, subcellular distribution of, in heart muscle, skeletal muscle, cerebral cortex and liver of various animal species (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712

Haem, interactions of, with rat liver ligandin and amino-azo-dye-binding protein A from (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 461–467

Halobacterium cutirubrum N.R.C. 34001, partial purification and properties of a low-molecular-weight manganese ion-stimulated alkaline phosphatase from (Fitt, P. S. & Peterkin, P. I.) 161–167

Heart, horse, studies on the changes of the conformation of reduced cytochrome *c* from, in neutral aqueous solution (Land, E. J. & Swallow, A. J.) 781–784

Heart muscle, guinea-pig, properties of particulate, membrane-associated and soluble guanylate cyclase from, and other mammalian tissues (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719

Heart muscle, guinea-pig, subcellular distribution of guanylate cyclase in, and other animal tissues (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712

Heart, ox, studies on the reactions of partially reduced cytochrome *c* oxidase from, with ferrocytochrome *c* (Greenwood, C., Brittain, T., Wilson, M. & Brunori, M.) 591–598

Heart, pig, deviation from Michaelis–Menten kinetics for fumarase from (Crabbe, M. J. C. & Bardsley, W. G.) 333–337

Heart, pig, inhibition by phosphorylation of the elementary reactions catalysed by the pyruvate dehydrogenase complex from (Walsh, D. A., Cooper, R. H., Denton, R. M., Bridges, B. J. & Randle, P. J.) 41–67

Heart, rat, distribution of isoenzymes of histidine–pyruvate aminotransferase in, and other tissues (Noguchi, T., Minatogawa, Y., Okuno, E. & Kido, R.) 635–641

Heavy chain, antibody, anti-pneumococcal, rabbit, third, amino acid sequence of the variable region of (Jaton, J.-C.) 449–459

Hen, *see* Chicken

Hexanol, kinetics and reaction mechanism of baker's-yeast alcohol dehydrogenase with, and other long-chain primary alcohols (Schöpp, W. & Aurich, H.) 15–22

Histidine–pyruvate aminotransferase, distribution of isoenzymes of, in rat liver, kidney, brain and heart (Noguchi, T., Minatogawa, Y., Okuno, E. & Kido, R.) 635–641

Histones, dependence on adenosine 3′:5′-cyclic monophosphate of mouse liver protein kinase isoenzymes catalysing the phosphorylation of (Ueland, P. M. & Døskeland, S. O.) 117–126

Histones, determination by neutron-activation analysis of trace elements in nucleic acids and, from normal and leukaemic human lymphocytes (Andronikashvili, E. L., Mosulishvili, L. M., Belokobil'skiy, A. I., Kharabadze, N. E., Shonia, N. I., Desai, L. S. & Foley, G. E.) 529–533

Horseradish, effects of pH and of peroxo acid substituent on the kinetics of formation of peroxidase Compound I from peroxidase from, by reaction with peroxobenzoic acids (Davies, D. M., Jones, P. & Mantle, D.) 247–253

Hyaluronate, effects of specific modifications of the protein core of pig laryngeal cartilage proteoglycans on the binding to (Hardingham, T. E., Ewins, R. J. F. & Muir, H.) 127–143

Hyaluronic acid, formation of a stable complex between dissociated ox cartilage proteoglycan and, in the absence of a link protein (Swann, D. A., Powell, S., Broadhurst, J., Sordillo, E. & Sotman, S.) 503–506
Hydrogen isotope (^3H), method for the labelling of bilirubin IX-α with (Hancock, F. E., Hutchinson, D. W. & Knell, A. J.) 511–512
Hydroperoxides, evidence for the involvement of, in the formation of peroxidase Compound I from horseradish peroxidase by reaction with peroxobenzoic acids (Davies, D. M., Jones, P. & Mantle, D.) 247–253
7α-Hydroxy-3,12-dioxo-5β-cholan-24-oic acid, chemical synthesis of, and its activity as a substrate for an *Escherichia coli* 7α-hydroxy steroid dehydrogenase (Haslewood, E. S. & Haslewood, G. A. D.) 207–210
Hydroxylysine residues, increased content of, in collagen in developing guinea-pig dermal scar (Barnes, M. J., Morton, L. F., Bennett, R. C., Bailey, A. J. & Sims, T. J.) 263–266
7α-Hydroxy steroid dehydrogenase, *Escherichia coli*, specificity of (Haslewood, E. S. & Haslewood, G. A. D.) 207–210

Imidazole, kinetics of the reaction of [nitrotyrosyl]-cytochrome *c* with iminazole and (do Nascimento, A. J. & do Nascimento, K. H.) 217–220
Iminazole, kinetics of the reaction of [nitrotyrosyl]-cytochrome *c* with imidazole and (do Nascimento, A. J. & do Nascimento, K. H.) 217–220
Immunoglobulin, anti-pneumococcal, rabbit, third, amino acid sequence of the variable region of the heavy chain of (Jaton, J.-C.) 449–459
Immunoglobulin G1, human, characterization of fragment upFc produced by the peptic digestion of, in the presence of urea (Parr, D. M., Hofmann, T. & Connell, G. E.) 535–540
Immunoglobulin light chains, myeloma, mouse, variability of the amino acid sequence at the *N*-terminal extra piece of precursors of, of the same and different subgroups (Burstein, Y. & Schechter, I.) 145–151
α_2-Immunoglobulin M, human, absence of binding of kallikreins from pig pancreas and rabbit urine to (Vahtera, E. & Hamberg, U.) 521–524
Intervertebral disc, human, chemical constitution of the proteoglycan from (Pearce, R. H. & Grimmer, B. J.) 753–763
Intervertebral disc, pig, interchanging radial distributions of types I and II collagens in the annulus fibrosus of (Eyre, D. R. & Muir, H.) 267–270
Iodoacetamide, modification of rabbit skeletal-muscle creatine kinase in relation to protection against inhibition of the enzyme activity by (Milner-White, E. J. & Kelly, I. D.) 23–31
Iron, dependence on, of the binding of 8-anilinonaphthalene-1-sulphonate by goat lactoferrin and ox transferrin (Bilić, N., Casey, M. & Blanc, B.) 233–235
Iron–sulphur centres, redox potentials of molybdenum, flavin and, in cow milk xanthine oxidase (Cammack, R., Barber, M. J. & Bray, R. C.) 469–478

Jaundice, obstructive, investigation of the abnormal low-density plasma lipoproteins of human patients with (Kostner, G. M., Laggner, P., Prexl, H. J., Holasek, A., Ingolic, E. & Geymayer, W.) 401–407

Kallikrein, membrane-bound, kidney-cortex, rat, isolation of, and other enzymes that metabolize kinins and angiotensins (Ward, P. E., Erdös, E. G., Gedney, C. D., Dowben, R. M. & Reynolds, R. C.) 643–650
Kallikreins, pancreatic and urinary, absence of binding of, to human α_2-macroglobulin (Vahtera, E. & Hamberg, U.) 521–524
Keratan sulphate, separation and properties of chondroitin sulphate and, obtained from human intervertebral-disc proteoglycan (Pearce, R. H. & Grimmer, B. J.) 753–763
Khapra-beetle (*Trogoderma granarium*) larva, activity and properties of cholesterol esterase of (Agarwal, H. C. & Nair, A. M. G.) 111–116
Kidney cells, baby-hamster, normal and polyoma-virus-transformed, modification by metabolites of asparagine of the activity of pig kidney diamine oxidase *in vitro* and differences in the decarboxylation of asparagine in (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608
Kidney cortex, pig, purification and properties of dipeptidyl peptidase IV from the brush border of (Kenny, A. J., Booth, A. G., George, S. G., Ingram, J., Kershaw, D., Wood, E. J. & Young, A. R.) 169–182
Kidney cortex, rat, isolation from, of membrane-bound enzymes that metabolize kinins and angiotensins (Ward, P. E., Erdös, E. G., Gedney, C. D., Dowben, R. M. & Reynolds, R. C.) 643–650
Kidney, golden-hamster, methylation of purine nucleotide residues of deoxyribonucleic acids of, and other tissues after the administration of hepatocarcinogenic doses of dimethylnitrosamine (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634
Kidney, pig, determination of the mechanism and kinetic constants for the reaction catalysed by γ-glutamyltransferase from (London, J. W., Shaw, L. M., Fetterolf, D. & Garfinkel, D.) 609–617
Kidney, pig, modification by metabolites of asparagine of the activity of diamine oxidase from, *in vitro* and differences in the decarboxylation of asparagine in normal and polyoma-virus-transformed baby-hamster kidney cells (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608
Kidney, rat, distribution of isoenzymes of histidine–pyruvate aminotransferase in, and other tissues (Noguchi, T., Minatogawa, Y., Okuno, E. & Kido, R.) 635–641
Kinetics, initial-velocity, substrate-inhibition, product-inhibition and isotopic-exchange studies of, of the reverse reaction catalysed by rabbit skeletal-muscle pyruvate kinase (Giles, I. G., Poat, P. C. & Munday, K. A.) 577–589
Kinins, isolation of rat kidney-cortex membrane-bound enzymes that metabolize angiotensins and (Ward, P. E., Erdös, E. G., Gedney, C. D., Dowben, R. M. & Reynolds, R. C.) 643–650
Klebsiella pneumoniae, kinetic investigations of cross-reactions as a probe of the enzyme mechanism of nitrogenases from *Clostridium pasteurianum* and (Smith, B. E., Thorneley, R. N. F., Eady, R. R. & Mortenson, L. E.) 439–447

Lactate dehydrogenase, kinetic analysis of experiments involving the single turnover of (Holbrook, J. J., Gutfreund, H. & Südi, J.) 287–288
Lactobacillus casei N.C.I.B. 6375, large-scale purification and characterization of tetrahydrofolate dehydrogenase from a methotrexate strain of (Dann, J. G., Ostler, G., Bjur, R. A., King, R. W., Scudder, P., Turner, P. C., Roberts, G. C. K., Burgen, A. S. V. & Harding, N. G. L. 559–571
Lactoferrin, goat, iron-dependent binding of 8-anilinonaphthalene-1-sulphonate by ox transferrin and (Bilić, N., Casey, M. & Blanc, B.) 233–235
Lesser rorqual, *see* Pike whale
Leucodystrophy, metachromatic, comparison of the activities of arylsulphatases A and B from rat liver and from cultured skin fibroblasts from human patients with mucopolysaccharidosis (type VI) and, towards 4-methylumbelliferyl sulphate and 4-nitrocatechol sulphate (Delvin, E. E., Pottier, A. & Glorieux, F. H.) 353–356
Leukaemia, lymphocytic, acute, determination by neutron-activation analysis of trace elements in nucleic acids and histones from lymphocytes of normal human subjects and of patients with (Andrinikashvili, E. L., Mosulishvili, L. M., Belokobil'skiy, A. I., Kharabadze, N. E., Shonia, N. I., Desai, L. S. & Foley, G. E.) 529–533
Ligandin, liver, rat, interactions of haem with, and aminoazo-dye-binding protein A from (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 461–467
Ligandin, liver, rat, spectroscopic studies of the binding of bilirubin by, and aminoazo-dye-binding protein A (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 211–216
Light chains, immunoglobulin, myeloma, mouse variability of the amino acid sequence at the *N*-terminal extra piece of precursors of, of the same and different subgroups (Burstein, Y. & Schechter, I.) 145–151
Linolenate, methyl, identification of *cis*-octadec-15-enoate as a major product of the biohydrogenation of, by ox rumen micro-organisms (Body, D.R.) 741–744
Lipoproteins, plasma, low-density, abnormal, human, investigation of, of patients with obstructive jaundice (Kostner, G. M., Laggner, P., Prexl, H. J., Holasek, A., Ingolic, E. & Geymayer, W.) 401–407
Liver, calf and pig, autoxidation of soluble trypsin-cleaved microsomal ferrocytochrome b_5 from, with the formation of superoxide radical ions (Berman, M. C., Adnams, C. M., Ivanetich, K. M. & Kench, J. E.) 237–246
Liver, golden-hamster, methylation of purine nucleotide residues of deoxyribonucleic acids of, and other tissues after the administration of hepatocarcinogenic doses of dimethylnitrosamine (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634
Liver, guinea-pig, properties of uridine diphosphate glucuronyltransferase(s) catalysing the biosynthesis of steroid glucuronides in microsomal fraction from (Zakim, D. & Vessey, D. A.) 667–673
Liver, human, separation and characterization of acid β-galactosidases from (Cheetham, P. S. J. & Dance, N. E.) 189–195
Liver, mouse, dependence on adenosine 3′:5′-cyclic monophosphate of protein kinase isoenzymes from (Ueland, P. M. & Døskeland, S. O.) 117–126
Liver, ox, use of D- and L-4-amino-6-chloro-5-oxohexanoate (glutamyl α-chloromethyl ketone) to demonstrate the asymmetric distribution of enzymic activity among the six subunits of glutamate dehydrogenase from (Rasool, C. G., Nicolaidis, S. & Akhtar, M.) 675–686
Liver, rat, activation by cholera toxin of adenylate cyclase solubilized from (van Heyningen, S.) 785–787
Liver, rat and rabbit, interaction of the cell-membrane prolactin receptor from, and other mammalian tissues with its antibody (Shiu, R. P. C. & Friesen, H. G.) 619–626
Liver, rat, comparison of the activities of arylsulphatases A and B from cultured human skin fibroblasts and, towards 4-methylumbelliferyl sulphate and 4-nitrocatechol sulphate (Delvin, E. E., Pottier, A. & Glorieux, F. H.) 353–356
Liver, rat, distribution of isoenzymes of histidine–pyruvate aminotransferase in, and other tissues (Noguchi, T., Minatogawa, Y., Okuno, E. & Kido, R.) 635–641
Liver, rat, instability in alkaline solution of non-histone proteins from nuclei from (Gronow, M., Thackrah, T. M. & Lewis, F. A.) 507–509
Liver, rat, interactions of haem with ligandin and aminoazo-dye-binding protein A from (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 461–467
Liver, rat, isolation of (copper, zinc)-thioneins from, of animals injected with copper sulphate (Bremner, I. & Young, B. W.) 517–520
Liver, rat, isolation of deoxyribonucleic acid-dependent ribonucleic acid polymerase and polyadenylate polymerase from mitochondria from (Gallerani, R., De Giorgi, C., De Benedetto, C. & Saccone, C.) 295–300
Liver, rat, properties of particulate, membrane-associated and soluble guanylate cyclase from, and other mammalian species (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719
Liver, rat, role of tetrahydrofolate dehydrogenase in the supply of 5,6,7,8-tetrahydrobiopterin to (Stone, K. J.) 105–109
Liver, rat, spectroscopic studies of the binding of bilirubin by ligandin and aminoazo-dye-binding protein A from (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 211–216
Liver, rat, subcellular distribution of guanylate cyclase in, and other animal tissues (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712
Liver, rat, subcellular localization of an enzyme converting thyroxine into tri-iodothyronine in, and the possible involvement of essential thiol groups (Visser, T. J., van der Does-Tobé, I., Docter, R. & Hennemann, G.) 479–482
Liver, rat, subcellular localization of ornithine decarboxylase in, of normal and growth-hormone-treated animals (Murphy, B. J. & Brosnan, M. E.) 33–39
Liver, turkey, relationship between nicotinamide–adenine dinucleotide oxidoreductase activity and the content of functional enzyme in preparations of xanthine dehydrogenase from (Fhaoláin, I. N. & Coughlan, M. P.) 283–285
Lung, golden-hamster, methylation of purine nucleotide residues of deoxyribonucleic acids of, and other tissues after the administration of hepatocarcinogenic doses of dimethylnitrosamine (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634

Lymphocytes, human, normal and leukaemic, determination by neutron-activation analysis of trace elements in nucleic acids and histones from (Andronikashvili, E. L., Mosulishvili, L. M., Belokobil'skiy, A. I., Kharabadze, N. E., Shonia, N. I., Desai, L. S. & Foley, G. E.) 529–533
Lysozyme, novel type of representation of the conformation of dipeptide units of, and other protein molecules (Balasubramanian, R.) 769–771

Macroglobulin, *see* Immunoglobulin M
Mammary gland, rat and rabbit, interaction of the cell-membrane prolactin receptor from, and other mammalian tissues with its antibody (Shiu, R. P. C. & Friesen, H. G.) 619–626
α-Mannosidase, residual, nature of, in plasma of Angus cattle with mannosidosis (Winchester, B. G., Van-de-Water, N. S. & Jolly, R. D.) 183–188
Mannosidosis, nature of the residual α-mannosidase in plasma of Angus cattle with (Winchester, B. G., Van-de-Water, N. S. & Jolly, R. D.) 183–188
Melanin, comparison of the activities of mouse skin tyrosinase in the hydroxylation of tyrosine and in the subsequent formation of, from 3,4-dihydroxyphenylalanine (Hearing, V. J. & Ekel, T. M.) 549–557
Membrane, cell, mammalian, interaction of the prolactin receptor of, with its antibody (Shiu, R. P. C. & Friesen, H. G.) 619–626
Membrane, erythrocyte, human, chromatography of sodium dodecyl sulphate-solubilized proteins from, on *N*-(3-carboxypropionyl)aminodecyl-Sepharose (Simmonds, R. J. & Yon, R. J.) 153–159
Membranes, kidney-cortex, rat, isolation of enzymes bound to, that metabolize kinins and angiotensins (Ward, P. E., Erdös, E. G., Gedney, C. D., Dowben, R. M. & Reynolds, R. C.) 643–650
Membranes, lipid phase transitions as an explanation of apparent sudden changes in the activation energy of enzymes of (Wynn-Williams, A. T.) 279–281
Membranes, synaptic, cerebral-cortex, ox, use of Triton X-100 for the separation of protein kinases and their substrates from (Dunkley, P. R., Holmes, H. & Rodnight, R.) 661–666
Methane mono-oxygenase, soluble, properties of, from *Methylococcus capsulatus* strain Bath (Colby, J. & Dalton, H.) 495–497
Methotrexate, large-scale purification and characterization of tetrahydrofolate dehydrogenase from a *Lactobacillus casei* strain resistant to (Dann, J. G., Ostler, G., Bjur, R. A., King, R. W., Scudder, P., Turner, P. C., Roberts, G. C. K., Burgen, A. S. V. & Harding, N. G. L.) 559–571
Methyl groups, apparent lack of stereospecificity due to rotation of, and enolization before release of products in the reaction catalysed by *Salmonella typhimurium* deoxyribose 5-phosphate aldolase (Corina, D. L. & Wilton, D. C.) 573–576
Methyl linolenate, identification of *cis*-octadec-15-enoate as a major product of the biohydrogenation of, by ox rumen micro-organisms *in vitro* (Body, D. R.) 741–744
Methylococcus capsulatus strain Bath, properties of a soluble methane mono-oxygenase from (Colby, J. & Dalton, H.) 495–497
Michaelis constant, common, two methods for fitting a rectangular hyperbola to kinetic data for reactions catalysed by enzymes from different animals with, but different maximum velocities (Nimmo, I. A.) 493–494
Michaelis constant, methods for fitting equations with, and one or more non-linear parameters of enzyme-catalysed reactions (Nimmo, I. A. & Atkins, G. L.) 489–492
Michaelis–Menten kinetics, deviation from, for pig heart fumarase (Crabbe, M. J. C. & Bardsley, W. G.) 333–337
Microsomal fraction, liver, calf and pig, autoxidation of soluble trypsin-cleaved ferrocytochrome b_5 from, with the formation of superoxide radical ions (Berman, M. C., Adnams, C. M., Ivanetich, K. M. & Kench, J. E.) 237–246
Microsomal fraction, liver, guinea-pig, properties of uridine diphosphate glucuronyltransferase(s) catalysing the biosynthesis of steroid glucuronides in (Zakim, D. & Vessey, D. A.) 667–673
Microsomal fraction, liver, rat, subcellular localization of an enzyme converting thyroxine into tri-iodothyronine in, and the possible involvement of essential thiol groups (Visser, T. J., van der Does-Tobé, I., Docter, R. & Hennemann, G.) 479–482
Milk, cow, redox potentials of molybdenum, flavin and iron–sulphur centres in xanthine oxidase from (Cammack, R., Barber, M. J. & Bray, R. C.) 469–478
Mitochondria, brain, rat, activity of glycerol kinase in (Tildon, J. T., Stevenson, J. H., Jr. & Ozand, P. T.) 513–516
Mitochondria, liver, rat, isolation of deoxyribonucleic acid-dependent ribonucleic acid polymerase and polyadenylate polymerase from (Gallerani, R., De Giorgi, C., De Benedetto, C. & Saccone, C.) 295–300
Mitochondria, mung-bean, presence of a 5S ribosomal ribonucleic acid component in ribosomes of (Leaver, C. J. & Harmey, M. A.) 275–277
Molybdenum, redox potentials of flavin, iron–sulphur centres and, in cow milk xanthine oxidase (Cammack, R., Barber, M. J. & Bray, R. C.) 469–478
Mucopolysaccharidosis (type VI), comparison of the activities of arylsulphatases A and B from rat liver and from cultured skin fibroblasts from human patients with metachromatic leucodystrophy and, towards 4-methylumbelliferyl sulphate and 4-nitrocatechol sulphate (Delvin, E. E., Pottier, A. & Glorieux, F. H.) 353–356
Mung bean, *see* Bean, mung
Muscle, heart, guinea-pig, properties of particulate, membrane-associated and soluble guanylate cyclase from, and other mammalian tissues (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719
Muscle, heart, guinea-pig, subcellular distribution of guanylate cyclase in, and other animal tissues (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712
Muscle, skeletal, fast-twitch and slow-twitch, chicken, electrophoretic analysis of multiple forms of myosin from (Hoh, J. F. Y., McGrath, P. A. & White, R. I.) 87–95

Muscle, skeletal, rabbit, initial-velocity, substrate-inhibition, product-inhibition and isotopic-exchange studies of the kinetics of the reverse reaction catalysed by pyruvate kinase (Giles, I. G., Poat, P. C. & Munday, K. A.) 577–589

Muscle, skeletal, rabbit, interactions of phosphate with myogen from, as a source of non-enantiography in moving-boundary electrophoresis (Lovell, S. J. & Winzor, D. J.) 699–704

Muscle, skeletal, rabbit, investigation of the nicotinamide–adenine dinucleotide-induced 'tightening' of the structure of glyceraldehyde 3-phosphate dehydrogenases from baker's yeast and (Osborne, H. H. & Hollaway, M. R.) 255–259

Muscle, skeletal, rabbit, modification of creatine kinase from, in relation to protection against inhibition of the enzyme activity by iodoacetamide (Milner-White, E. J. & Kelly, I. D.) 23–31

Muscle, skeletal, rabbit, properties of particulate, membrane-associated and soluble guanylate cyclase from, and other mammalian tissues (Sulakhe, S. J., Leung, N. L.-K. & Sulakhe, P. V.) 713–719

Muscle, skeletal, rabbit, purification and properties of myosin light-chain phosphatase from (Morgan, M., Perry, S. V. & Ottaway, J.) 687–697

Muscle, skeletal, rabbit, subcellular distribution of guanylate cyclase in, and other animal tissues (Sulakhe, P. V., Sulakhe, S. J., Leung, N. L.-K., St. Louis, P. J. & Hickie, R. A.) 705–712

Muscle, skeletal, rat, identification and properties of phosphatases of, with activities towards troponin I and their relationship to other phosphoprotein phosphatases (Ray, K. P. & England, P. J.) 369–380

Myeloma protein (immunoglobulin G1), human, characterization of fragment upFc produced by the peptic digestion of, in the presence of urea (Parr, D. M., Hofmann, T. & Connell, G. E.) 535–540

Myelomas, mouse, variability of the amino acid sequence at the *N*-terminal extra piece of immunoglobulin light-chain precursors of the same and different subgroups from (Burstein, Y. & Schechter, I.) 145–151

Myogen, skeletal-muscle, rabbit, interactions of phosphate with, as a source of non-enantiography in moving-boundary electrophoresis (Lovell, S. J. & Winzor, D. J.) 699–704

Myosin, light-chain phosphatase, purification and properties of, from rabbit skeletal muscle (Morgan, M., Perry, S. V. & Ottaway, J.) 687–697

Myosin, skeletal-muscle, fast-twitch and slow-twitch, chicken, electrophoretic analysis of multiple forms of (Hoh, J. F. Y., McGrath, P. A. & White, R. I.) 87–95

Nasal septum, ox, electrophoretic heterogeneity of proteoglycans of cartilage of (Roughley, P. J. & Mason, R. M.) 357–367

Nervonate, evidence for the involvement of intestinal micro-organisms in the elongation of oleate and, fed to adult rats (Rabinowitz, J. L., Lutton, C. & Chevallier, F.) 271–273

Nicotinamide–adenine dinucleotide, oxidized, investigation of the 'tightening' of the structure of baker's-yeast and rabbit skeletal-muscle glyceraldehyde 3-phosphate dehydrogenases induced by (Osborne, H. H. & Hollaway, M. R.) 255–259

Nicotinamide–adenine dinucleotide oxidoreductase, relationship between the activity of, and the content of functional enzyme in preparations of turkey liver xanthine dehydrogenase (Fhaoláin, I. N. & Coughlan, M. P.) 283–285

Nitrite reductase (cytochrome *c* oxidase), *Pseudomonas aeruginosa* N.C.T.C. 6750, spectral and steady-state kinetic properties of (Barber, D., Parr, S. R. & Greenwood, C.) 431–438

Nitrite reductase (cytochrome *c* oxidase), soluble, purification of, and some other respiratory proteins from *Pseudomonas aeruginosa* N.C.T.C. 6750 (Parr, S. R., Barber, D., Greenwood, C., Phillips, B. W. & Melling, J.) 423–430

Nitrogenases, *Klebsiella pneumoniae* and *Clostridium pasteurianum*, kinetic investigations of cross-reactions as a probe of the enzyme mechanism of (Smith, B. E., Thorneley, R. N. F., Eady, R. R. & Mortenson, L. E.) 439–447

[Nitrotyrosyl]cytochrome *c*, kinetics of the reaction of, with imidazole and iminazole (do Nascimento, A. J. & do Nascimento, K. H.) 217–220

Nuclei, liver, rat, instability in alkaline solution of non-histone proteins from (Gronow, M., Thackrah, T. M. & Lewis, F. A.) 507–509

Nucleic acids, determination by neutron-activation analysis of trace elements in histones and, from normal and leukaemic human lymphocytes (Andronikashvili, E. L., Mosulishvili, L. M., Belokobil'skiy, A. I., Kharabadze, N. E., Shonia, N. I., Desai, L. S. & Foley, G. E.) 529–533

Nucleotide residues, purine, methylation of, of golden-hamster liver, kidney and lung deoxyribonucleic acids after the administration of hepatocarcinogenic doses of dimethylnitrosamine (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634

cis-Octadec-15-enoate, identification of, as a major product of the biohydrogenation of methyl linolenate by ox rumen micro-organisms *in vitro* (Body, D. R.) 741–744

Oleate, evidence for the involvement of intestinal micro-organisms in the elongation of nervonate and, fed to adult rats (Rabinowitz, J. L., Lutton, C. & Chevallier, F.) 271–273

Ornithine decarboxylase, subcellular localization of, in liver of normal and growth-hormone-treated rats (Murphy, B. J. & Brosnan, M. E.) 33–39

2-Oxo acids, partial purification and properties of enzymes involved in the biosynthesis and degradation of, from cell-free extracts of mixed rumen micro-organisms (Bush, R. S. & Sauer, F. D.) 325–331

2-Oxobutyrate synthase, partial purification and properties of pyruvate synthase and, from cell-free extracts of mixed rumen micro-organisms (Bush, R. S. & Sauer, F. D.) 325–331

2-Oxosuccinamate, modification by, and other metabolites of asparagine of the activity of pig kidney diamine oxidase *in vitro* and differences in the decarboxylation of asparagine in normal and polyoma-virus-transformed baby-hamster kidney cells (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608

Pancreas, pig, absence of binding of kallikreins from rabbit urine and, to human α_2-macroglobulin (Vahtera, E. & Hamberg, U.) 521–524
Pancreas, pike-whale, amino acid sequence of ribonuclease from (Emmens, M., Welling, G. W. & Beintemb, J. J.) 317–323
Pancreas, rat, demonstration of an androgen-receptor protein in (Pousette, A.) 229–232
Pantothenase, *Pseudomonas fluorescens*, effects of pH on the binding of substrate and inhibitors to (Airas, R. K.) 415–421
Pantothenase, purification and properties of, from *Pseudomonas fluorescens* (Airas, R. K., Hietanen, E. A. & Nurmikko, V. T.) 409–413
Pea, chick (*Cicer arietinum*), isolation and properties of a trypsin/chymotrypsin inhibitor from (Smirnoff, P., Khalef, S., Birk, Y. & Applebaum, S. W.) 745–751
Penicillin N, synthesis of δ-(α-aminoadipyl)cysteinylvaline and its role in the biosynthesis of, by *Cephalosporium acremonium* (Fawcett, P. A., Usher, J. J., Huddleston, J. A., Bleaney, R. C., Nisbet, J. J. & Abraham, E. P.) 651–660
Pepsinogen, pig, evidence for a lack of interaction of pepstatin with (Kay, J. & Dykes, C. W.) 499–502
Pepstatin, evidence for a lack of interaction of, with pig pepsinogen (Kay, J. & Dykes, C. W.) 499–502
Peptidase (dipeptidyl peptidase IV), purification and properties of, from pig kidney-cortex brush border (Kenny, A. J., Booth, A. G., George, S. G., Ingram, J., Kershaw, D., Wood, E. J. & Young, A. R.) 169–182
Peptides, novel manual method for the analysis of the amino acid sequences of proteins and (Chang, J. Y. & Creaser, E. H.) 77–85
Peptides, permethylated, separation and determination of the amino acid sequences of, by mass spectrometry directly coupled to gas–liquid chromatography (Priddle, J. D., Rose, K. & Offord, R. E.) 777–780
Peptides, studies on the determination of *C*-terminal amino acid sequences of, by use of the thiocyanate method (Rangarajan, M. & Darbre, A.) 307–316
Peroxidase, horseradish, effects of pH and of peroxo acid substituent on the kinetics of formation of peroxidase Compound I from, by reaction with peroxobenzoic acids (Davies, D. M., Jones, P. & Mantle, D.) 247–253
Peroxobenzoic acids, effects of pH and of peroxo acid substituent on the kinetics of formation of peroxidase Compound I from horseradish peroxidase by reaction with (Davies, D. M., Jones, P. & Mantle, D.) 247–253
pH, effects of, and of peroxo acid substituent on the kinetics of formation of peroxidase Compound I from horseradish peroxidase by reaction with peroxobenzoic acids (Davies, D. M., Jones, P. & Mantle, D.) 247–253
pH, effects of, on the binding of substrate and inhibitors to *Pseudomonas fluorescens* pantothenase (Airas, R. K.) 415–421
Phaseolus aureus, *see* Bean, mung
Phosphatase, alkaline, manganese ion-stimulated, low-molecular-weight, partial purification and properties of, from *Halobacterium cutirubrum* N.R.C. 34001 (Fitt, P. S. & Peterkin, P. I.) 161–167
Phosphatase, purification and properties of, specific for myosin light chain from rabbit skeletal muscle (Morgan, M., Perry, S. V. & Ottaway, J.) 687–697
Phosphatases, skeletal-muscle, rat, identification and properties of, with activities towards troponin I and their relationship to other phosphoprotein phosphatases (Ray, K. P. & England, P. J.) 369–380
Phosphate, inorganic, interactions of, with rabbit skeletal-muscle myogen as a source of non-enantiography in moving-boundary electrophoresis (Lovell, S. J. & Winzor, D. J.) 699–704
Phosphoenolpyruvate, initial-velocity, substrate-inhibition, product-inhibition and isotopic-exchange studies of the kinetics of the reverse reaction catalysed by rabbit skeletal-muscle pyruvate kinase for the biosynthesis of (Giles, I. G., Poat, P. C. & Munday, K. A.) 577–589
Phosphoprotein phosphatases, skeletal-muscle, rat, identification and properties of, with activities towards troponin I and their relationship to other phosphoprotein phosphatases (Ray, K. P. & England, P. J.) 369–380
Pike whale (*Balaenoptera acutorostrata*), amino acid sequence of pancreatic ribonuclease from (Emmens, M., Welling, G. W. & Beintemb, J. J.) 317–323
Plasma, human, investigation of the abnormal low-density plasma lipoproteins in, of patients with obstructive jaundice (Kostner, G. M., Laggner, P., Prexl, H. J., Holasek, A., Ingolic, E. & Geymayer, W.) 401–407
Plasma, human, isolation and characterization of α_1-proteinase inhibitor from, and a conformational study of its interaction with proteinases (Saklatvala, J., Wood, G. C. & White, D. D.) 339–351
Plasma, human, isolation of serum albumin from, and fractionation of the serum proteins of the albumin-depleted plasma (Travis, J., Bowen, J., Tewksbury, D., Johnson, D. & Pannell, R.) 301–306
Plasma lipoproteins, *see* Lipoproteins, plasma
Plasma, ox, nature of the residual α-mannosidase in, of animals (Angus cattle) with mannosidosis (Winchester, B. G., Van-de-Water, N. S. & Jolly, R. D.) 183–188
Plasmid, *Escherichia coli* K12, replication of the deoxyribonucleic acid of multiple-drug-resistance factor of (Barker, G. R., Hardman, N. & Twose, T. M.) 221–227
Polyadenylate polymerase, isolation of deoxyribonucleic acid-dependent ribonucleic acid polymerase and, from rat liver mitochondria (Gallerani, R., De Giorgi, C., De Benedetto, C. & Saccone, C.) 295–300
Polydeoxyribonucleotides, double-stranded, binding of echinomycin to (Wakelin, L. P. G. & Waring, M. J.) 721–740
Polyoma virus, modification by metabolites of asparagine of the activity of pig kidney diamine oxidase *in vitro* and differences in the decarboxylation of asparagine in normal baby-hamster kidney cells and in those transformed by (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608
Prolactin receptor, cell-membrane, mammalian, interaction of, with its antibody (Shiu, R. P. C. & Friesen, H. G.) 619–626
Protease, *see* Proteinase
Protein A, aminoazo-dye-binding, liver, rat, interactions of haem with, and ligandin (Tpiping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 461–467
Protein A, aminoazo-dye-binding, liver, rat, spectroscopic studies of the binding of bilirubin by, and ligandin (Tipping, E., Ketterer, B., Christodoulides, L. & Enderby, G.) 211–216

Protein, androgen-receptor, demonstration of, in rat pancreas (Pousette, A.) 229–232
Protein, biotin-binding, egg-yolk, chicken, assay of, and its relationship to egg-white avidin (White, H. B., III, Dennison, B. A., Della Fera, M. A., Whitney, C. J., McGuire, J. C., Meslar, H. W. & Sammelwitz, P. H.) 395–400
Protein core, proteoglycan, cartilage, laryngeal, pig, structure and heterogeneity of, and effects of specific modifications of the protein on the binding to hyaluronate (Hardingham, T. E., Ewins, R. J. F. & Muir, H.) 127–143
Protein kinase, liver, mouse, dependence on adenosine 3′:5′-cyclic monophosphate of isoenzymes of (Ueland, P. M. & Døskeland, S. O.) 117–126
Protein kinases, use of Triton X-100 for the separation of, and their substrates from ox cerebral-cortex synaptic membranes (Dunkely, P. R., Holmes, H. & Rodnight, R.) 661–666
Protein, myeloma (immunoglobulin G1), human, characterization of fragment upFc produced by the peptic digestion of, in the presence of urea (Parr, D. M., Hofmann, T. & Connell, G. E.) 535–540
Protein, prolactin-receptor, cell-membrane, mammalian, interaction of, with its antibody (Shiu, R. P. C. & Friesen, H. G.) 619–626
α_1-Proteinase inhibitor, isolation and characterization of, from human plasma and a conformational study of its interaction with proteinases (Saklatvala, J., Wood, G. C. & White, D. D.) 339–351
Proteinase inhibitor, isolation and properties of, from chick-pea meal and its activity towards trypsin and chymotrypsin (Smirnoff, P., Khalef, S., Birk, Y. & Applebaum, S. W.) 745–751
Proteinases, isolation and characterization of α_1-proteinase inhibitor from human plasma and a conformational study of its interaction with (Saklatvala, J., Wood, G. C. & White, D. D.) 339–351
Protein–polysaccharide, *see* Proteoglycan
Protein–polysaccharides, *see* Proteoglycans
Proteins, endogenous, phosphorylation of, by ox cerebral-cortex synaptic-membrane protein kinases (Dunkley, P. R., Holmes, H. & Rodnight, R.) 661–666
Proteins, membrane, erythrocyte, human, sodium dodecyl sulphate-solubilized, chromatography of, on *N*-(3-carboxypropionyl)aminodecyl-Sepharose (Simmonds, R. J. & Yon, R. J.) 153–159
Proteins, non-histone, nuclear, liver, rat, instability in alkaline solution of (Gronow, M., Thackrah, T. M. & Lewis, F. A.) 507–509
Proteins, novel manual method for the analysis of the amino acid sequences of (Chang, J. Y. & Creaser, E. H.) 77–85
Proteins, novel type of representation of the conformation of dipeptide units of molecules of (Balasubramanian, R.) 769–771
Proteins, separation and determination of the amino acid sequences of permethylated peptides derived from, by mass spectrometry directly coupled to gas–liquid chromatography (Priddle, J. D., Rose, K. & Offord, R. E.) 777–780
Proteins, serum, human, isolation of serum albumin from human plasma and fractionation of, of the albumin-depleted plasma (Travis, J., Bowen, J., Tewksbury, D., Johnson, D. & Pannell, R.) 301–306
Proteins, studies on the determination of *C*-terminal amino acid sequences of peptides and, by use of the thiocyanate method (Rangarajan, M. & Darbre, A.) 307–316
Proteoglycan, cartilage, ox, dissociated, formation of a stable complex between, and hyaluronic acid in the absence of a link protein (Swann, D. A., Powell, S., Broadhurst, J., Sordillo, E. & Sotman, S.) 503–506
Proteoglycan, intervertebral-disc, human, chemical constitution of (Pearce, R. H. & Grimmer, B. J.) 753–763
Proteoglycans, cartilage, laryngeal, pig, structure and heterogeneity of the protein core of, and effects of specific modifications of the protein on the binding to hyaluronate (Hardingham, T. E., Ewins, R. J. F. & Muir, H.) 127–143
Proteoglycans, cartilage, nasal-septum, ox, electrophoretic heterogeneity of (Roughley, P. J. & Mason, R. M.) 357–367
Pseudomonas aeruginosa N.C.T.C. 6750, purification of soluble cytochrome *c* oxidase and some other respiratory proteins from (Parr, S. R., Barber, D., Greenwood, C., Phillips, B. W. & Melling, J.) 423–430
Pseudomonas aeruginosa N.C.T.C. 6750, spectral and steady-state kinetic properties of cytochrome *c* oxidase from (Barber, D., Parr, S. R. & Greenwood, C.) 431–438
Pseudomonas aminovorans, steady-state kinetic study of the reaction catalysed by secondary-amine monooxygenase from (Brook, D. F. & Large, P. J.) 197–205
Pseudomonas fluorescens, effects of pH on the binding of substrate and inhibitors to pantothenase from (Airas, R. K.) 415–421
Pseudomonas fluorescens, purification and properties of pantothenase from (Airas, R. K., Hietanen, E. A. & Nurmikko, V. T.) 409–413
Purine nucleotide residues, methylation of, of golden-hamster liver, kidney and lung deoxyribonucleic acids after the administration of hepatocarcinogenic doses of dimethylnitrosamine (Margison, G. P., Margison, J. M. & Montesano, R.) 627–634
Putrescine, modification by metabolites of asparagine of the activity of pig kidney diamine oxidase towards, *in vitro* and differences in the decarboxylation of asparagine in normal and polyoma-virus-transformed baby-hamster kidney cells (Quash, G., Calogero, H., Fossar, N., Ferdinand, A. & Taylor, D.) 599–608
Pyrophosphate, inorganic, inhibition by, of the elementary reactions catalysed by pig heart pyruvate dehydrogenase complex (Walsh, D. A., Cooper, R. H., Denton, R. M., Bridges, B. J. & Randle, P. J.) 41–67
Pyruvate dehydrogenase complex, heart, pig, inhibition by phosphorylation of the elementary reactions catalysed by (Walsh, D. A., Cooper, R. H., Denton, R. M., Bridges, B. J. & Randle, P. J.) 41–67
Pyruvate, kinase, skeletal-muscle, rabbit, initial-velocity, substrate-inhibition, product-inhibition and isotopic-exchange studies of the kinetics of the reverse reaction catalysed by (Giles, I. G., Poat, P. C. & Munday, K. A.) 577–589
Pyruvate synthase, partial purification and properties of 2-oxobutyrate synthase and, from cell-free extracts of mixed rumen micro-organisms (Bush, R. S. & Sauer, F. D.) 325–331

Red blood cells, *see* Erythrocytes
Redox potentials of molybdenum, flavin and iron–sulphur centres in cow milk xanthine oxidase (Cammack, R., Barber, M. J. & Bray, R. C.) 469–478
Resistance factor, multiple-drug-, *Escherichia coli* K12, replication of the deoxyribonucleic acid of (Barker, G. R., Hardman, N. & Twose, T. M.) 221–227
Ribonuclease, pancreatic, pike-whale, amino acid sequence of (Emmens, M., Welling, G. W. & Beintemb, J. J.) 317–323
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, isolation of polyadenylate polymerase and, from rat liver mitochondria (Gallerani, R., De Giorgi, C., De Benedetto, C. & Saccone, C.) 295–300
Ribonucleic acid, ribosomal, 5S, presence of, in mung-bean mitochondrial ribosomes (Leaver, C. J. & Harmey, M. A.) 275–277
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomes, mitochondrial, mung-bean, presence of a 5S ribosomal ribonucleic acid component in (Leaver, C. J. & Harmey, M. A.) 275–277
Rumen micro-organisms, mixed, partial purification and properties of enzymes involved in the biosynthesis and degradation of 2-oxo acids from cell-free extracts of (Bush, R. S. & Sauer, F. D.) 325–331
Rumen micro-organisms, ox, identification of *cis*-octadec-15-enoate as a major product of the biohydrogenation of methyl linolenate by, *in vitro* (Body, D. R.) 741–744

Saccharomyces cerevisiae, analysis of the circular-dichroism spectra of cytochrome *c* species from (Looze, Y., Polastro, E., Gielens, C. & Léonis, J.) 773–775
Saccharomyces cerevisiae, preparation of glucose 6-phosphate dehydrogenase from, immobilized by attachment to modified Sepharose and Sephadex and comparison of the properties of these preparations with those of the soluble enzyme (Coheer, M. A., Gould, B. J. & Parke, D. V.) 289–294
Salmonella typhimurium, apparent lack of stereospecificity due to rotation of methyl groups and enolization before release of products in the reaction catalysed by deoxyribose 5-phosphate aldolase from (Corina, D. L. & Wilton, D. C.) 573–576
Serum albumin, *see* Albumin, serum
Serum, human, isolation and characterization of the unactivated form of the first component (C1) of complement from (Gigli, I., Porter, R. R. & Sim, R. B.) 541–548
Serum, human, purification and properties of ferritin from (Worwood, M., Dawkins, S., Wagstaff, M. & Jacobs, A.) 97–103
Skeletal muscle, *see* Muscle, skeletal
Skin fibroblasts, human, cultured, comparison of the activities of arylsulphatases A and B from rat liver and, towards 4-methylumbelliferyl sulphate and 4-nitrocatechol sulphate (Delvin, E. E., Pottier, A. & Glorieux, F. H.) 353–356
Skin, guinea-pig, presence of type III collagen in developing dermal scar tissue of (Barnes, M. J., Morton, L. F., Bennett, R. C., Bailey, A. J. & Sims, T. J.) 263–266
Skin, mouse, comparison of the activities of tyrosinase from, in the hydroxylation of tyrosine and in the subsequent formation of melanin from 3,4-dihydroxyphenylalanine (Hearing, V. J. & Ekel, T. M.) 549–557
Snail (*Achatina achatina*), energy-dependent modification of the structure and activity of the β-glucosidase from the gut contents of (Umezurike, G. M.) 381–387
Somatotrophin, *see* Growth hormone
Steroid glucuronides, properties of guinea-pig liver microsomal uridine diphosphate glucuronyltransferase(s) catalysing the biosynthesis of (Zakim, D. & Vessey, D. A.) 667–673
Steroids, specificity of an *Escherichia coli* 7α-hydroxy steroid dehydrogenase towards (Haslewood, E. S. & Haslewood, G. A. D.) 207–210
Supernatant fraction, *see* Cytosol
Superoxide radical ions, autoxidation of soluble trypsin-cleaved calf and pig liver microsomal ferrocytochrome b_5 with the formation of (Berman, M. C., Adnams, C. M., Ivanetich, K. M. & Kench, J. E.) 237–246
Synaptic membranes, cerebral-cortex, ox, use of Triton X-100 for the separation of protein kinases and their substrates from (Dunkley, P. R., Holmes, H. & Rodnight, R.) 661–666

Testosterone-receptor protein, demonstration of, in rat pancreas (Pousette, A.) 229–232
5,6,7,8-Tetrahydrobiopterin, role of tetrahydrofolate dehydrogenase in the supply of, to rat liver (Stone, K. J.) 105–109
Tetrahydrofolate dehydrogenase, large-scale purification and characterization of, from a methotrexate-resistant strain of *Lactobacillus casei* N.C.I.B. 6375 (Dann, J. G., Ostler, G., Bjur, R. A., King, R. W., Scudder, P., Turner, P. C., Roberts, G. C. K., Burgen, A. S. V. & Harding, N. G. L.) 559–571
Tetrahydrofolate dehydrogenase, role of, in the supply of 5,6,7,8-tetrahydrobiopterin to rat liver (Stone, K. J.) 105–109
Thiol groups, essential, subcellular localization of a rat liver enzyme converting thyroxine into tri-iodothyronine in, and the possible involvement of (Visser, T. J., van der Does-Tobé, I., Docter, R. & Hennemann, G.) 479–482
Thioneins, (copper, zinc)-, isolation of, from the liver of rats injected with copper sulphate (Bremner, I. & Young, B. W.) 517–520
Thymine, incorporation of, into the deoxyribonucleic acid of multiple-drug-resistance factor in *Escherichia coli* K12 (Barker, G. R., Hardman, N. & Twose, T. M.) 221–227
Thyroglobulin, human and rat, subunit structure of (Pitt-Rivers, R.) 767–768
Thyroid gland, human and rat, subunit structure of thyroglobulin from (Pitt-Rivers, R.) 767–768
Thyroxine, subcellular localization of a rat liver enzyme converting, into tri-iodothyronine and the possible involvement of essential thiol groups (Visser, T. J., van der Does-Tobé, I, Docter, R. & Hennemann, G.) 479–482
Toxin, cholera, activation by, of adenylate cyclase solubilized from rat liver (van Heyningen, S.) 785–787

Trace elements, determination by neutron-activation analysis of, in nucleic acids and histones from normal and leukaemic human lymphocytes (Andronikashvili, E. L., Mosulishvili, L. M., Belokobil'skiy, A. I., Kharabadze, N. E., Shonia, N. I., Desai, L. S. & Foley, G. E.) 529–533
Transferrin, ox, iron-dependent binding of 8-anilinonaphthalene-1-sulphonate by goat lactoferrin and (Bilić, N., Casey, M. & Blanc, B.) 233–235
Tri-iodothyronine, subcellular localization of a rat liver enzyme converting thyroxine into, and the possible involvement of essential thiol groups (Visser, T. J., van der Does-Tobé, I., Docter, R. & Hennemann, G.) 479–482
Trimethoprim, effect of, on the activity of tetrahydrofolate dehydrogenase in rat liver (Stone, K. J.) 105–109
Tritium isotope (^3H), method for the labelling of bilirubin IX-α with (Hancock, F. E., Hutchinson, D. W. & Knell, A. J.) 511–512
Trogoderma granarium, *see* Khapra beetle
Tropoelastin, aorta, chick-embryo, radioimmunological identification of (Christner, P., Dixon, M., Cywinski, A. & Rosenbloom, J.) 525–528
Troponin I, identification and properties of rat skeletal-muscle phosphatases with activities towards, and their relationship to other phosphoprotein phosphatases (Ray, K. P. & England, P. J.) 369–380
Trypsin/chymotrypsin inhibitor, isolation and properties of, from chick-pea meal (Smirnoff, P., Khalef, S., Birk, Y. & Applebaum, S. W.) 745–751
Trypsin inhibitor (α_1-proteinase inhibitor), isolation and characterization of, from human plasma and a conformational study of its interaction with proteinases (Saklatvala, J., Wood, G. C. & White, D. D.) 339–351
Trypsin, isolation and characterization of α_1-proteinase inhibitor from human plasma and a conformational study of its interaction with chymotrypsin and (Saklatvala, J., Wood, G. C. & White, D. D.) 339–351
Turkey, relationship between nicotinamide–adenine dinucleotide oxidoreductase activity and the content of functional enzyme in preparations of liver xanthine dehydrogenase from (Fhaoláin, I. N. & Coughlan, M. P.) 283–285
Tyrosinase, skin, mouse, comparison of the activities of, in the hydroxylation of tyrosine and in the subsequent formation of melanin from 3,4-dihydroxyphenylalanine (Hearing, V. J. & Ekel, T. M.) 549–557
Tyrosine, comparison of the activities of mouse skin tyrosinase in the hydroxylation of, and in the subsequent formation of melanin from 3,4-dihydroxyphenylalanine (Hearing, V. J. & Ekel, T. M.) 549–557
Uridine diphosphate glucuronyltransferase(s), microsomal, liver, guinea-pig, properties of, catalysing the biosynthesis of steroid glucuronides (Zakim, D. & Vessey, D. A.) 667–673
Urine, human, identification of aldosterone 18β-D-glucosiduronic acid as the acid-labile conjugate of aldosterone in (Carpenter, P. C. & Mattox, V. R.) 1–14
Urine, identification of 2,8-dihydroxyadenine as a new component of urinary stones in, of a human subject homozygous for a deficiency of adenine phosphoribosyltransferase (Simmonds, H. A., Van Acker, K. J., Cameron, J. S. & Snedden, W.) 485–487
Urine, rabbit, absence of binding of kallikreins from pig pancreas and, to human α_2-macroglobulin (Vahtera, E. & Hamberg, U.) 521–524

Virus, polyoma, *see* Polyoma virus

Xanthine dehydrogenase, liver, turkey, relationship between nicotinamide–adenine dinucleotide oxidoreductase activity and the content of functional enzyme in preparations of (Fhaoláin, I. N. & Coughlan, M. P.) 283–285
Xanthine oxidase, milk, cow, redox potentials of molybdenum, flavin and iron–sulphur centres in (Cammack, R., Barber, M. J. & Bray, R. C.) 469–478

Yeast, baker's, analysis of the circular-dichroism spectra of cytochrome *c* species from (Looze, Y., Polastro, E., Gielens, C. & Léonis, J.) 773–775
Yeast, baker's, investigation of the nicotinamide–adenine dinucleotide-induced 'tightening' of the structure of glyceraldehyde 3-phosphate dehydrogenases from rabbit skeletal muscle and (Osborne, H. H. & Hollaway, M. R.) 255–259
Yeast, baker's, kinetics and reaction mechanism of alcohol dehydrogenase from, with long-chain primary alcohols (Schöpp, W. & Aurich, H.) 15–22
Yeast, baker's, (*Saccharomyces cerevisiae*), preparation of glucose 6-phosphate dehydrogenase from, immobilized by attachment to modified Sepharose and Sephadex and comparison of the properties of these preparations with those of the soluble enzyme (Goheer, M. A., Gould, B. J. & Parke, D. V.) 289–294
Yeast, baker's, steady-state kinetics of the reaction catalysed by glucose 6-phosphate dehydrogenase from, in solution and covalently attached to Sepharose (Gould, B. J. & Goheer, M. A.) 389–393